

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
<b>1(a)</b>	Correct bar in correct position	B1	
	<b>Additional Guidance</b>		
	Mark intention		
	Shading not required		

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
<b>1(b)</b>	9	B1	

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
<b>2</b>	–7 –5 –1 3	B2	B1 answer begins –7 or ends 3 SC1 reverse order

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
<b>3(a)</b>	23	B1	ignore further terms

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
<b>3(b)</b>	add 6	B1ft	accept + 6 ft their 23 or correct answer
	<b>Additional Guidance</b>		
	20 in part (a) answer + 3 34 in part (a) answer × 2		B1ft B1ft

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
	50p 10p 10p 1p	B2	any order units required for each coin B1 50 10 10 1 in any order without all units or set of valid coins that make 71p (with correct units or without units) eg 10 1 20 20 20 or 50 20 1
<b>4 Additional Guidance</b>			
Units may be seen in the working but missing on the answer line for B2			
50p 10p 10p 1p in working with answer 0.50p 0.10p 0.10p 0.01p			B1
Accept £0.50, condone £0.50p			
Units of the form 0.50p are incorrect			
If all four coins are in a consistent form to show 50 10 10 1 eg 0.50p 0.10p 0.10p 0.01p condone for B1			

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
	>	B1	
	=	B1	
	<	B1	
<b>5 Additional Guidance</b>			
Must use the correct symbol, not word equivalents			

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
6(a)	6	B1	

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
6(b)	8	B1	

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
6(c)	1	B1	

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
7(a)	40 in correct position in number machine	B1	

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
7(b)	+ 11 in correct position in number machine	B1	oe operation to reach 18 eg $-11$ or $\times \frac{18}{7}$

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
	3 and 2 in correct positions in number machine	B2	B1 correct operations for input 5, output 13 or correct operations for input 10, output 28
<b>Additional Guidance</b>			
7(c)	B1 may be awarded for correct work, with no or incorrect answer, even if this is seen amongst multiple attempts		
Examples of correct operations for input 5, output 13 include $\times 2.6$ and $-0$ <b>or</b> $\times 4$ and $-7$ <b>or</b> $\times 5$ and $-12$			B1
Examples of correct operations for input 10, output 28 include $\times 2.8$ and $-0$ <b>or</b> $\times 4$ and $-12$ <b>or</b> $\times 5$ and $-22$			B1

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
<b>8</b>	0.4 or 0.8 or 220 or 700	M1	oe
	$2.2 + 2 \times 0.4 + 7$ or 10 or 1000	M1	oe allow mixed units 10 or 1000 implies M2
	$\frac{7}{10}$ or $\frac{700}{1000}$	A1	oe fraction SC2 0.7(0) or 70%
<b>Additional Guidance</b>			
Ignore simplification attempts after a correct fraction is seen			
$\frac{7}{10}$ in working with 0.7 on answer line			M1M1A0
Condone eg 0.80p for first M1			
Do not allow eg £220 for first M1			

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
<b>9</b>	368	B2	B1 25 or 343

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
<b>10</b>	1550 in Away	B1	
	1370 in Home Yes	B1	
	5480 in Home No	B1ft	ft 6850 – their 1370 their 1370 must be less than 6850
	949 in Away Yes	B1ft	ft 2319 – their 1370 their 1370 must be less than 2319
	601 in Away No	B1ft	ft their 1550 – their 949 their 1550 must be greater than their 949
	<b>Additional Guidance</b>		
	If Away oval is blank then condone an indication of 1550 as Away		
	If Home Yes oval is blank then condone an indication of 1370 as Home Yes		
	ft values must be from ovals		

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
<b>11(a)</b>	(-2, -1)	B1	
	<b>Additional Guidance</b>		
	Check the diagram if answer line is blank		

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
<b>11(b)</b>	(8, -1)	B1	SC1 (-1, -2) in (a) and (-1, 8) in (b)
	<b>Additional Guidance</b>		
	Check the diagram if answer line is blank		

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
12(a)	Distance (km)	B1	oe must have units
	(8, 38) and (8.5, 42) plotted	B1	$\pm \frac{1}{2}$ square
	<b>Additional Guidance</b>		
	Ignore any lines		
	Ignore other plots		

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
12(b)	Positive	B1	oe
	Strong	B1	oe eg fairly strong SC1 answers in reverse order

Q	Answer	Mark	Comments
13	<b>Alternative method 1: working separately</b>		
	180 – 127 or 53	M1	implied by 106
	360 – 90 – 163 or 107	M1	oe implied by 53.5
	No and 106 and 107 or No and 53 and 53.5 or No and 53 and $107 - 53 = 54$	A1	
	<b>Alternative method 2: starting with <math>y</math></b>		
	180 – 127 or 53	M1	implied by 106
	360 – 90 – $2 \times$ their 53 or 164 or 360 – 163 – $2 \times$ their 53 or 91 or	M1dep	oe
	2 $\times$ their 53 + 90 + 163 or 359		
	No and 164 or No and 91 or No and 359	A1	
	<b>Alternative method 3: starting with <math>x</math></b>		
	360 – 90 – 163 or 107	M1	oe implied by 53.5
	180 – their $107 \div 2$ or 126.5 or 127 + their $107 \div 2$ or 180.5	M1dep	oe
	No and 126.5 or No and 180.5	A1	

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
<b>14</b>	$6x + 24$	B2	B1 $6x$ or $(+ 24)$
	<b>Additional Guidance</b>		
	$24 + 6x$		B2
	Ignore any attempt to solve $6x + 24 = 0$		
	$6x + 24$ in working with answer $30x$		B1
	$6x + 25$ in working with answer $31x$		B1

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
<b>15</b>	$4x$	B1	oe
	$y$	B1	oe
	$3t$	B1	oe

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
16	15 × 0.64 or 9.6	M1	oe eg1 $20 \times 0.64 \times \frac{3}{4}$ eg2 $20 \times 0.64 - (20 \div 4) \times 0.64$
	1.7 × 0.9 or 1.53 or 1.7 × 6 or 10.2	M1	oe eg $1.7 - 0.1 \times 1.7$
	1.7 × 0.9 × 6 or 9.18	M1dep	oe eg $10.2 - 0.1 \times 10.2$ dep on 2nd M1
	their $9.18 + 2 \times 0.62$ or 10.42	M1	oe their 9.18 must be 6 times their pack price
	Shop A Cheaper by £0.82	A1	oe eg Shop A Cheaper by 82p
<b>Additional Guidance</b>			
Accept working in pounds or pence			
Mixed units in the 4th M1 mark must be recovered with a correct value for their calculation 960 and $9.18 + 2 \times 62$ 960 and $9.18 + 2 \times 62$ and 10.42			M1M1M1M0 M1M1M1M1
10.20 + $2 \times 0.62$ or 11.44 score the 2nd and 4th M1 mark			

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
<b>17(a)</b>	12 : 18	B1	oe eg 6 : 9 may be implied by correct answer
	2 : 3 or 1 : 1.5 or 1 : $\frac{3}{2}$ or $\frac{2}{3} : 1$	B1ft	ft their ratio
	<b>Additional Guidance</b>		
	Accept [0.66, 0.67] for $\frac{2}{3}$		
	2 : 3		B1B1
	Answer 1 : $\frac{6}{4}$		B1B0
	12 : 30 followed by 2 : 5		B0B1ft

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
<b>17(b)</b>	$\frac{3}{11}$	B1	oe fraction

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
<b>17(c)</b>	2.25 or $2\frac{1}{4}$ or $\frac{9}{4}$	B1	oe
	<b>Additional Guidance</b>		
	Condone eg 1 : 2.25		B1

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
18(a)		B1	
<b>Additional Guidance</b>			
Mark intention, condone missing interior lines			
Shading not required			

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
18(b)	23	B1	

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
19	$24^2$ or 576 <b>and</b> $31^2$ or 961 or 1537	M1	ignore units
	$\sqrt{24^2 + 31^2}$ or $\sqrt{576 + 961}$ or $\sqrt{1537}$	M1dep	
	39.2(...)	A1	accept 39 with 1537 seen or M2 awarded
<b>Additional Guidance</b>			
19	M1 may be awarded for correct work, with no or incorrect answer, even if this is seen amongst multiple attempts		
	$31^2 - 24^2$		M1M0A0
	$\sqrt{385}$ without seeing $24^2$ or 576 <b>and</b> $31^2$ or 961		M0M0A0
	Answer only 39.2		M2A1
	Answer only 39		M0
	39.2 from only accurate drawing		M0M0A0
	39.2 from only trigonometry		M0M0A0
	39.2 from only cosine rule		M1M0A0

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
20	This is not representative of all flats or He didn't take into account flats on the other floors	B1	oe
	<b>Additional Guidance</b>		
	Ignore incorrect or irrelevant statements or incorrect values alongside a correct reason, unless contradictory		
	Data is biased		
	Missing floor or Misses top 2 floors (ignore incorrect value)		
	There could be different results on the other 4 floors (ignore incorrect value)		
	Must have a flat from each floor, do another 27 (ignore irrelevant statement)		
	Only doing 5 out of the 8 floors		
	Not tested any on floor 7 or 8		
	Missing most of the other floors (ignore 'most of' as irrelevant)		
	Some floors might be different to others		
	Sample all floors, sample size too small (ignore incorrect statement)		
	Needs to sample them all (all may refer to all flats not floors)		
	Sample too small		
	Some flats might be different to others		
	Didn't test a third of the flats		

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
21	It is true for <b>all</b> values of $x$	B1	

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
<b>22</b>	$5 \times 24.5$ or 122.5	M1	oe
	$24.5 \times 0.2$ or 4.9	M1	oe
	24.5 – their 4.9 or 19.6	M1dep	oe dep on 2nd M1 $24.5 \times 0.8$ oe is 2nd M1 and 3rd M1
	$(259.7 - \text{their } 122.5) \div \text{their } 19.6$ or $137.2 \div \text{their } 19.6$	M1dep	oe dep on 3rd M1 eg1 $7 \times 19.6 = 137.2$ eg2 $122.5 + 19.6 + 19.6 + 19.6 + 19.6 + 19.6 + 19.6 = 259.7$
	12 with 19.6 seen or 12 with 122.5, 142.1, 161.7, 181.3, 200.9, 220.5, 240.1, 259.7	A1	
	<b>Additional Guidance</b>		
	Up to M3 may be awarded for correct work, with no or incorrect answer, even if this is seen amongst multiple attempts		
	Build up attempts must be fully correct or show method		
	122.5 + 19.6		M1M1M1
	122.5, 142.1, 161.7, 181.3, 200.9, 220.5, 240.1, 259.7 without 12		M1M0M0M0

Q	Answer	Mark	Comments
	$42 \div (2 \times 3)$ or 7 or rectangle with height 2 cm	M1	oe implied by rectangle with one side 7 cm
	Rectangle with height 2 cm and width 7 cm	A1	any position on the grid
<b>Additional Guidance</b>			
23	Mark intention, condone interior lines		
	Accept unruly lines		
23	<b>Side elevation</b> 		
	Cuboid with rectangle height 2 cm and / or width 7 cm		

M1A1

M1A0

Q	Answer	Mark	Comments
<b>Alternative method 1: working in metres per second or kilometres per second</b>			
	1500 (metres) or 0.05 (km)	B1	implied by 30 or 1200
	their $1500 \div 50 \times 40$ or $1.5 \div$ their $0.05 \times 40$ or 1200	M2	oe M1 their $1500 \div 50$ or 30 oe or $50 \div 40$ or 1.25 oe or $1.5 \div$ their 0.05 oe their 1500 must be using digits 15 (and zeros) their 0.05 must be using single digit 5 (and zeros)
	their $1200 \div 60$	M1dep	oe dep on M2
	20	A1ft	ft their 1500 or their 0.05
<b>Alternative method 2: working in metres per minute or kilometres per minute</b>			
24(a)	1500 (metres) or 0.05 (km)	B1	implied by 0.075
	$40 \div 60$ or $\frac{2}{3}$	M1	oe accept [0.66, 0.67]
	50 $\div$ (40 $\div$ 60) or 75 or $\frac{\text{their 0.05}}{(40 \div 60)}$ or 0.075 or their $1500 \times (40 \div 60)$	M1dep	oe calculation their 1500 must be using digits 15 (and zeros) their 0.05 must be using single digit 5 (and zeros)
	their $1500 \div$ their 75 or $1.5 \div$ their 0.075 or their $1500 \times (40 \div 60) \div 50$	M1dep	oe
	20	A1ft	ft their 1500 or their 0.05

Additional Guidance is on the next page

24(a) cont	Additional Guidance	
	1500 ÷ 1.25	B1M2
	1.5 ÷ 50 × 40 their 1500 must be using digits 15 (and zeros)	B0M2
	1.5 ÷ 0.5 × 40 their 0.05 must be using single digit 5 (and zeros)	B0M2
	150 ÷ 50 their 1500 must be using digits 15 (and zeros)	B0M1
	150 ÷ 1.25 = 120, 120 ÷ 60 = 2	B0M2M1A1ft

Q	Answer	Mark	Comments
24(b)	It is greater than the answer to part (a)	B1	

Q	Answer	Mark	Comments
25	(8 + 9 + 9 + 6 + 9 + 10) ÷ 6 or 51 ÷ 6 or 8.5	M1	oe implied by 34
	162 ÷ 360 × 100 or 45	M1	oe
	4 × their 8.5 + their 45 or 34 + 45	M1dep	oe dep on M2
	79	A1	SC2 53.5 or 57.5
Additional Guidance			
Check table and pie chart for working			
34 + 45%			M1M1M1

Q	Answer	Mark	Comments
26	$1 + \frac{5.1}{100}$ or 1.051 or 105.1%	M1	oe eg $\frac{100 + 5.1}{100}$ may be implied by a correct value after one year of their chosen house value
	$1.051^{14}$ and [2, 2.01]	A1	may be implied by a correct value after 14 years of their chosen house value
<b>Additional Guidance</b>			
26		(house value =) 100 000 and (value after 1 year =) 105 100	M1
		(house value =) 100 000 and (value after 14 years =) [200 600, 200 650]	M1A1
		$\left(1 + \frac{5.1}{100}\right)^{14} = 2.006$	M1A1
		Do not allow a misread of 5.1% eg1 1.05 eg2 1.052	M0 M0

Q	Answer	Mark	Comments
27	<b>Alternative method 1: population density of Town A</b>		
	84 000 ÷ (7 × 2.6) or [4615, 4616]	M2	oe M1 84 000 ÷ 7 or 12 000 oe or 7 × 2.6 or 18.2 oe
	Town B and [4615, 4616]	A1	
	<b>Alternative method 2: comparing one square mile of population</b>		
	84 000 ÷ 7 or 12 000	M1	oe
	4695 × 2.6 or 12 207	M1	oe
	Town B and 12 000 and 12 207	A1	
	<b>Alternative method 3: comparing seven square miles of population</b>		
	4695 × 2.6 × 7 or 85 449	M2	oe M1 4695 × 2.6 or 12 207 oe or 7 × 2.6 or 18.2 oe
	Town B and 85 449	A1	
<b>Alternative method 4: comparing areas with equal populations</b>			
7 × 2.6 or 18.2	M1	oe	
84 000 ÷ 4695 or [17.89, 17.9] or 18	M1	oe	
Town B and 18.2 and [17.89, 17.9] or 18	A1		