

Q	Answer	Mark	Comments
1(a)	20	B1	

Q	Answer	Mark	Comments
1(b)	9	B1	

Q	Answer	Mark	Comments
1(c)	14 and 29	B1	either order

Q	Answer	Mark	Comments
1(d)	15	B1	

Q	Answer	Mark	Comments
2(a)	[54, 58]	B1	may be seen on diagram but answer line takes precedence
	Additional Guidance		
	Answer in a different unit		B0

Q	Answer	Mark	Comments
2(b)	[48, 52]	B1	may be seen on diagram but answer line takes precedence
	Additional Guidance		
	Ignore other angles measured		

Q	Answer	Mark	Comments
2(c)	15	B1	

Q	Answer	Mark	Comments
2(d)	7 cm by 3 cm rectangle drawn	B1	
	Additional Guidance		
	Mark intention		
	Allow a 7 cm by 3 cm rectangle drawn that does not use the given side		
Q	Answer	Mark	Comments
3(a)	12 or +12	B1	
Q	Answer	Mark	Comments
3(b)	–30	B1	
Q	Answer	Mark	Comments
3(c)	64 or +64	B1	
Q	Answer	Mark	Comments
3(d)	1000	B1	
Q	Answer	Mark	Comments
4	$\frac{3}{5}$	B2	B1 $\frac{18}{30}$ or $\frac{9}{15}$ or $\frac{6}{10}$ or 3 out of 5 or fraction, decimal or percentage or their fraction fully simplified
	Additional Guidance		
	$\frac{30}{18} = \frac{5}{3}$ $\frac{1.8}{3(0)}$		B1 B1

Q	Answer	Mark	Comments
5	24 ÷ 2 or 12 or 24 × 5 or 120 or 820 or 7 – 1.5(0) or 5.5(0)	M1	oe
	5 × 24 ÷ 2 or 60 or 2.1(0) or 210(p)	M1	oe implies M2
	7 – 1.5(0) + 5 × 24 ÷ 2 or 8.2(0) – 2.1(0) or 6.1 or 610	M1dep	oe full method to find total cost dep on M2
	6.10 or 610p	A1	SC3 65.5(0) or 6550(p) or 27.62 or 2762(p) or 7.9(0) or 790(p)
Additional Guidance			
SC3 65.5(0) from 60 + 5.50 working in mixed units			
SC3 27.62 from 5 calculators and 1 pen			
SC3 7.9(0) from doubling the cost of a pen instead of halving			
Condone (£)6.10p		M1M1M1A1	
Allow mixed units for up to M3 eg 5.50 + 60		M1M1M1	

Q	Answer	Mark	Comments
6(a)	$\frac{17}{5}$	B1	oe improper fraction
	Additional Guidance		
	Ignore attempts to simplify after correct answer seen		

Q	Answer	Mark	Comments
6(b)	$\frac{19}{100}$	B1	oe fraction
	Additional Guidance		
	Ignore attempts to simplify after correct answer seen		

Q	Answer	Mark	Comments
7	<p>(R =) 16 (days) or 4 (symbols) or (Sn =) 10 (days) or 2.5 (symbols) or (C =) 18 (days) or 4.5 (symbols) or (total =) 44 (days) or 11 (symbols) or evidence of addition with answer of 11 (symbols) or $55 \div 4$ or 13.75 (symbols)</p>	M1	
	<p>55 – their 16 – their 10 – their 18 or $55 - 44 (= 11)$ or 2 values for Sun and Fog with a total of 11 or their 13.75 – 11 or 2.75</p>		<p>oe at least one of 16, 10, 18 correct may be on diagram</p>
	<p>6 and 5 or Sun = 1 full and 1 half symbol or Fog = 1 full and 1 quarter symbol</p>	A1	either order, may be on diagram
	<p>Sun = 1 full and 1 half symbol and Fog = 1 full and 1 quarter symbol</p>	A1ft	ft their 11 days (must be an odd number) where Sun is one more than Fog
Additional Guidance			
Mark intention for drawings, quarter and half symbol any orientation or angle. Must be attempt at correct size			
11 with no working seen or their symbols totalling 11 quarters			M1M1

Q	Answer	Mark	Comments
8(a)	5×4 or 20	M1	oe
	18	A1	

Q	Answer	Mark	Comments
8(b)	$-40 + 10$ or -30 or $-40 = 5P - 10$ or $P = \frac{T + W}{5}$	M1	
	their $-30 \div 5$	M1dep	
	-6	A1	SC2 -10 with -50 seen
Additional Guidance			
Embedded answer of -6			M1M1A0
SC2 -10 with -50 seen for $-40 + 10 = -50$ and then $\div 5$			
$-40 = 5P - 10$ may use a different letter or symbol for P but not T or W			

Q	Answer	Mark	Comments
	All 3 correct matches	B3	B1 for each correct match
Additional Guidance			
	Matching to more than one box on the right is choice for that match		
9		B3	

Q	Answer	Mark	Comments
10	(A =) 26	B1	may be implied by correct answer
	(B =) 10	B1	may be implied by correct answer
	260	B1ft	ft their A \times their B if at least B1 awarded SC2 400 or 52 SC1 55
	Additional Guidance		
	SC2 400 from A = 40 and B = 10		
SC2 52 from A = 26 and B = 2			
SC1 55 from $8 \times 3 + 2 \times 21 - (15 - 4)$			
Answer 260 with no incorrect values seen for A and B			B1B1B1

Q	Answer	Mark	Comments
11	4.5×7 or 45×7 or digits 315	M1	oe
	$31.5(0)$ or $31\frac{1}{2}$	A1	

Q	Answer	Mark	Comments
12	100	B1	

Q	Answer	Mark	Comments
	Alternative method 1 – using the given scale		
13	(O) $20 \div 5$ or (A) $8 \div 2$ or 4 or (O) $5 \div 20$ or (A) $2 \div 8$ or $\frac{1}{4}$	M1	oe
	their 4×3 or $3 \div$ their $\frac{1}{4}$ or their $4 \times$ their $(5 + 3 + 2) - 20 - 8$ or 12	M1dep	20 – 8 implies M2 may be on diagram
	Correct width bar, in the correct position, drawn to height of 12	A1	mark intention, ignore any shading
	Alternative method 2 – using squares		
	(O) $10 \div 5$ or (A) $4 \div 2$ or 2 (squares)	M1	
	their 2×3 or 6 (squares)	M1dep	10 – 4 implies M2 may be on diagram
	Correct width bar, in the correct position, drawn to height of 12	A1	mark intention, ignore any shading
Additional Guidance			
$(20 + 8) \div (5 + 2)$ $(10 + 4) \div (5 + 2)$			M1 M1

Q	Answer	Mark	Comments
	Valid statement about proportion	B1	eg there were more members than guests
	Valid statement about average	B1	eg the average number of hours was greater for the members
	Valid statement about spread	B1	eg the visiting times of the guests were more spread out
Additional Guidance			
	Condone irrelevant statements with correct statements but do not award a correct statement with a contradictory statement		
	Accept non-members for guests		
Proportion statements			
14	There were more members	B1	
	They were mostly members / More than half were members	B1	
	There were 28% more members than guests	B1	
	Fewer guests (than members)	B1	
	The members were 64%, the guests were (only) 36%	B1	
	The members were 64, the guests were (only) 36	B0	
	The difference is 28%	B0	
	There were 32% more members (calculation error)	B0	
	Members visit the gym more often	B0	
	There were 64% members	B0	

Question 14 Additional Guidance continues on the next page

14 cont	Average statements	
	The members had a greater mean	B1
	The members visited for 1.5 (hours) more (on average)	B1
	The members visited for longer (on average) (than the guests)	B1
	Overall the members spent longer (in the gym) (on average)	B1
	The members' mean was 4 (hours) and the guests' was 2.5 (hours)	B1
	The members' was 4 and the guests' was 2.5 (no mention of average)	B0
	The difference in mean hours is 1.5	B0
	Spread statements	
	The members' times were more consistent	B1
	The guests' times varied more	B1
	The guests had a greater range	B1
	The range of the guests was 2 (hours) more	B1
	Members' range was 6 (hours), guests' (range) was 8 (hours)	B1
	Members were 6, guests were 8 (ambiguous)	B0
	Members visited for 6 hours, guests for 8 hours (referencing mean)	B0
	The difference in range is 2 hours	B0
	The range of the guests is high	B0

Q	Answer	Mark	Comments
15	2×3 or 6 or 4×5 or 20 or 14 or 0.3	M1	oe
	$(\text{their } 20 - \text{their } 6) \div \text{their } 20$ or $1 - \frac{6}{20}$ or $\frac{14}{20}$ or $1 - 0.3$ or 0.7 or 30(%)	M1dep	
15	70	A1	SC2 44.4 or better SC1 $\frac{4}{9}$ or $\frac{8}{18}$
Additional Guidance			
	SC1 $\frac{4}{9}$ or $\frac{8}{18}$ use of perimeter without conversion to a percentage SC2 44.4 use of perimeter converted to a percentage		
	Up to M2 may be awarded for correct work seen in multiple attempts even if not subsequently used		
	Ignore any units		

Q	Answer	Mark	Comments
16	$60 \div 20$ or 3 or $20 \div 60$ or $\frac{1}{3}$ or $18 \div 20$ or 0.9 or $20 \div 18$ or 1.1(1...) or $20 + 20 + 20$	M1	oe
	oe full method to get to answer		
	their 3×18 or $18 \div$ their $\frac{1}{3}$ or their 0.9×60 or $60 \div$ their 1.1(1...) or $18 + 18 + 18$	M1dep	
Additional Guidance			
Up to M2 may be awarded for multiple attempts if no answer chosen			
For up to M2 ignore any units			

Q	Answer	Mark	Comments
17	Alternative method 1 – numerical		
	1 and 5 and 3 or 9 (parts) or numbers in the ratio 1 : 5 : 3 or (angle sum on a straight line =) 180	M1	oe may be seen in a ratio eg $\frac{1}{5} : 1 : \frac{3}{5}$ or $\frac{1}{3} : \frac{5}{3} : 1$ numbers can be in any order eg 30, 10, 50
	180 \div (1 + 5 + 3) or 20 or $180 \div \frac{9}{5}$	M1dep	oe
	100	A1	
	Alternative method 2 – algebraic		
	x and $5x$ and $3x$ or $9x$ or (angle sum on a straight line =) 180	M1	oe correct terms with any angle as x any letter, any order may be seen on diagram
	Correct equation with correct method to solve for one angle	M1dep	eg $x + 5x + 3x = 180$ and $180 \div (1 + 5 + 3)$
	100	A1	
	Additional Guidance		
	$x + 5x + 3x = 360$ or $360 \div 9$	M1M0A0	
	$\frac{1}{5}x + x + \frac{3}{5}x = 180$ and $180 \div \left(\frac{1}{5} + 1 + \frac{3}{5}\right)$	M1M1	
	$\frac{1}{3}x + \frac{5}{3}x + x = 180$ and $180 \div \left(\frac{1}{3} + \frac{5}{3} + 1\right)$	M1M1	
	Angle EBD marked as 100 on the diagram with answer line blank	M1M1A1	
	20 and 100 in working with no or incorrect answer chosen	M1M1A0	

Q	Answer	Mark	Comments				
18	All conditions met: <ul style="list-style-type: none"> first number is prime second number is prime correctly evaluated even answer answer in range 	B3	if their product is incorrectly evaluated or missing, then 'even answer' and 'answer in range' refer to the correct product for their multiplication B2 4 conditions met B1 3 conditions met				
	Additional Guidance $2 \times 29 = 58$ (or $29 \times 2 = 58$) is the only fully correct solution Allow 50 to 60 inclusive for 'answer in range' Award the best mark from boxes or in working for up to B2 The two prime numbers do not have to be different		B3				
19							

Q	Answer	Mark	Comments
19	$\frac{5}{6} \times 96$ or 80	M1	oe eg $96 \div 6 \times 5$ implied by 176
	$\frac{1}{4} \times$ their 80 or 20	M1dep	oe eg $80 \div 4$
	$\frac{2}{3} \times 96$ or 64	M1	oe eg $96 \div 3 \times 2$ accept 0.66 or better for $\frac{2}{3}$
	84(0.00)	A1	SC2 100.8(0) or [77.32, 77.34] condone incorrect money notation eg 84.0 or 84.00p
19	Additional Guidance SC2 for 100.8(0) is from misreading as Andrew gets £96		
	SC2 for [77.32, 77.34] is from $\frac{2}{3}$ of 80 plus $\frac{1}{4}$ of 96		
	Do not accept ' $\frac{5}{6}$ of 96' or ' $\frac{1}{4}$ of 80' or ' $\frac{2}{3}$ of 96' for M marks unless accompanied by a correct method or value		

Q	Answer	Mark	Comments
20(a)	Strong positive	B1	

Q	Answer	Mark	Comments
20(b)	Straight line of best fit passing through (5, [18k, 24k]) and (23, [42k, 48k])	B1	mark intention of straight line ignore anything beyond gates
	Correct reading $\pm \frac{1}{2}$ square for their straight line of best fit	B1ft	ft their straight line with positive gradient ignore any working lines on the graph condone thousands missing may be implied by correct number of lives for their line
	Correct evaluation of their answer in thousands divided by 2000	B1ft	ft their reading from straight line but must be in thousands condone half a life (or rounded or truncated) if reading is an odd number of thousands
Additional Guidance			
(their correct line of best fit would give a reading of 34 000) Answer 17 Answer 0.017 (Points =) 33 000, answer 16 (within half a square, answer truncated) (Points =) 32 000, answer 16			B1B1B1 B1B1B0 B1B1B1 B1B0B1ft
For two lines of best fit with no answer, take as choice			

Q	Answer	Mark	Comments
21	Alternative method 1 – evaluation and division		
	(5 ² =) 25 or (3 × 5 ² =) 75 or 600 ÷ 3 or 200 or 600 ÷ 5 ² or 24	M1	oe oe eg 3 × 200 = 600 oe eg 25 × 24 = 600
	600 ÷ 3 ÷ 5 ² or 8		oe eg 8 × 75 = 600
	3 with M1 awarded and not from incorrect working	A1	
	Alternative method 2 – product of prime factors		
	600 written as a product of factors where at least one factor is prime	M1	eg 2 and 300 or 5 and 120 or 2 and 2 and 150 may be seen on a factor tree or in repeated division allow one strand to be incorrect if a previous value completes the product eg 20 × 30 followed by 2 × 10 × 5 × 8 implies 2 × 10 × 30 for M1
	2 and 2 and 2 and 3 and 5 and 5		may be seen on a factor tree or in repeated division
	3 with M1 awarded and not from incorrect working	A1	
	Additional Guidance		
	8 × 3 × 25 = 600 and answer 3	M1M1A1	
	2 ³ on answer line with M2 awarded		M1M1A0
	Answer 3 on answer line with no working	M0M0A0	
	Do not allow 600 ÷ 3 × 5 ² for M2 in alt 1 unless recovered, but do allow $\frac{600}{3 \times 5^2} \text{ or } 600 \div (3 \times 5^2)$		

Q	Answer	Mark	Comments
	$13x + 22$	B2	B1 $15x + 20$ or $-2x + 2$ or $13x + a$ or $bx + 22$, where a and b can be any numbers
Additional Guidance			
22	Do not ignore further working for B2 eg $13x + 22 = 35x$ eg $13x + 22, x = \frac{22}{13}$		B1 B1

Q	Answer	Mark	Comments	
23	Any two from: Reference to graph passing through point where $x = 0$ Reference to graph being incorrect for negative x values Reference to the graph stopping before the end of the axes/axis	B2	B1 any one correct reference eg the graph touches the y -axis eg the graph to the left of the y -axis should be below the x -axis eg the graph should go to the ends of the axes	
	Additional Guidance			
	Ignore non-contradictory, irrelevant responses alongside a correct response			
	Draws correct graph			
	Draws graph with one section correct for positive values of x or negative values of x			
	'It isn't the graph of $y = \frac{1}{x}$ ', scores B0, but B1 may still be scored for the other criticism			
	'There are no numbers on the axes' scores B0, but B1 may still be scored for the other criticism			
	Mark for graph touching y-axis			
	You cannot have $x = 0$			
	The line in the top right should be moved to the right			
	It says $x \neq 0$ but it (the sketch) does			
	One line is touching the y -axis			
	The lines should be symmetrical			
	You cannot have $y = 0$			
	One line is touching the y -axis but the other isn't			

Question 23 Additional Guidance continues on the next page

23 cont	Mark for negative values being in the wrong quadrant	
	There shouldn't be anything in the top-left section	B1
	There should be something in the bottom-left section	B1
	It is the graph of $y = \frac{1}{x^2}$	B1
	It should have rotational symmetry	B1
	It should be symmetrical about $y = x$	B1
	It should be symmetrical about $y = -x$	B1
	It should be symmetrical	B0
	One should be negative	B0
	The bit on the left is wrong	B0
	The negative values are plotted incorrectly	B0
	Reference to the graph stopping before the end of the axes	
	It stops before the end of the axes	B1
	The lines don't go far enough	B1
	The lines need to be higher up	B0

Q	Answer	Mark	Comments
24	Alternative method 1 – algebra based on Sunita's age		
	5 × 3 or 15	M1	may be implied by their algebraic total of the three ages being divided by 3
	$x - 1$ or $2x$ or $4x - 1$	M1	oe expressions any letter throughout
	$x + \text{their } (x - 1) + \text{their } 2x = \text{their } 15$ or $4x - 1 = \text{their } 15$	M1dep	oe equation eg $\frac{x + x - 1 + 2x}{3} = 5$ dep on M1M1
	$(x =) 4$	M1dep	correct solution to their equation if the solution has a decimal part allow truncation or rounding to the nearest whole number
	8	A1	
	Alternative method 2 – algebra based on Joel's age		
	5 × 3 or 15	M1	may be implied by their algebraic total of the three ages being divided by 3
	$\frac{y}{2}$ or $\frac{y}{2} - 1$ or $2y - 1$	M1	oe expressions any letter throughout $2y - 1$ must not come from $y + y - 1$
	$y + \text{their } \frac{y}{2} + \text{their } (\frac{y}{2} - 1) = \text{their } 15$	M1dep	oe equation eg $\frac{y + \frac{y}{2} + \frac{y}{2} - 1}{3} = 5$ dep on M1M1
	$2y + \text{their } y + \text{their } (y - 2) = 2 \times \text{their } 15$ or $4y - 2 = 30$ or $2y - 1 = 15$	M1dep	their equation with no denominator
	8	A1	

Question 24 continues on the next page

24 cont	Alternative method 3 – trial and improvement		
	5 × 3 or 15	M1	may be implied by their total of the three ages being divided by 3
	Trial of three numbers which fit the criteria, with either their sum correctly evaluated or their sum divided by 3	M1	eg $2 + 1 + 4 = 7$ or $(2 + 1 + 4) \div 3$ condone missing brackets
	Second trial of three numbers which fit the criteria, with either their sum correctly evaluated or their sum divided by 3	M1dep	dep on previous M1 eg $3 + 2 + 6 = 11$ or $(3 + 2 + 6) \div 3$ condone missing brackets
	4, 3 and 8 selected as their final combination	M1dep	any order implies M4
	8	A1	
	Additional Guidance		
	Up to M4 may be awarded for correct work seen in multiple attempts even if not subsequently used		
	Correct expressions, but the sum of the three ages is equated to 5 eg $4x - 1 = 5$		M0M1M0M0A0
	In alt 1, the correct value of x or the correct age for Joel for their two terms for Beth and Joel, with one correct, implies the first 4 marks eg x and $x + 1$ and $2x$, with $x = 3.5$ or answer 7		M1M1M1M1A0
	In alt 2, the correct value of y for their two terms for Sunita and Beth, with one correct, implies the first 4 marks eg y and $\frac{y}{2}$ and $(\frac{y}{2} + 1)$, with $y = 7$ or answer 7		M1M1M1M1A0
	In alt 1 and alt 2, condone missing brackets in equations if not recovered for up to M1M1M1 eg $x + x - 1 + 2x \div 3 = 5$ not recovered		M1M1M1M0A0

Q	Answer	Mark	Comments
25	$\frac{7}{3}$	M1	oe improper fraction
	$\times \frac{5}{4}$ or $\times 1.25$ or 7×5 and 3×4 or $\frac{7 \times 5}{3 \times 5} \div \frac{4 \times 3}{3 \times 5}$ or $\frac{35}{15} \div \frac{12}{15}$	M1	oe if seen in a grid, must be selected
	$\frac{35}{12}$	A1	oe improper fraction
	$2\frac{11}{12}$	A1ft	oe mixed number ft their improper fraction correctly converted to a mixed number if at least M1 awarded
	Additional Guidance		
Ignore attempts to simplify after mixed number seen			
$\frac{8}{3} \times \frac{5}{4} = \frac{40}{12}$, answer $3\frac{4}{12}$			M0M1A0A1ft