OCR-H ... 17 Nov-P6

Answer **all** the questions.

1 Use the formula $s = ut + \frac{1}{2}at^2$.

(a) Calculate s when $u = 5$, $t = 10$ and $a = 3$.

$s = 5 \times 10 + \frac{1}{2} \times 3 \times 10^2$ ✓

$= 50 + 150$

(a) $s =$ 200 ✓ [2]

(b) Make a the subject of the formula.

$s - ut = \frac{1}{2}at^2$ ✓OE

$\frac{2(s-ut)}{t^2} = a$

(b) $a =$ $\frac{2(s-ut)}{t^2}$ ✓ [2]

2 Carla runs every 3 days.
She swims every Thursday. ⇒ 7
On Thursday 9 November, Carla both runs and swims.

What will be the next date on which she both runs and swims?

LCM of 3, 7 = 21 ✓

Nov 9th +21 ✓ Nov 30th ✓ [3]

© OCR 2017

3 A shop records the time taken by its customers to complete a purchase on its website. The results from one day are summarised in this table.

Time taken (t minutes)	Number of customers		x	$f \times x$
$0 < t \leqslant 3$	6	×	1.5	9
$3 < t \leqslant 6$	10	×	4.5	45
$6 < t \leqslant 9$	6	×	7.5	45
$9 < t \leqslant 12$	2	×	10.5	21
$12 < t \leqslant 15$	1	×	13.5	13.5

(a) Calculate an estimate of the mean time taken.

$133.5 \div 25$ ✓

5.34 ✓

(a) ..... minutes **[4]**

(b) Explain why it is not possible to use the information from this table to calculate the **exact** value of the mean time taken.

Data is in groups, exact values are unknown. ✓

..... **[1]**

© OCR 2017

4 Jeat is growing carrots from seed in his garden.
He plants 28 carrot seeds but only 12 grow.

Jeat says

The probability of one of my carrot seeds growing is $\frac{3}{7}$.

(a) Use Jeat's result to show that he is correct. [1]

$\frac{12}{28} = \frac{3}{7}$ ✓

(b) A farmer uses this probability to calculate how many carrot seeds he should plant to grow 10000 carrots.

How many seeds should he plant?

$10000 = \frac{3}{7} \times x$

$x = \frac{10000}{3/7} = 23333.\dot{3}$ ✓ etc

✓

(b) 23333 ..... seeds [2]

(c) Explain why it may not be sensible for the farmer to use Jeat's experimental probability to calculate the number of seeds he should plant.

Different farm = different growing conditions. ✓ etc

..... [1]

accept "sample too small"

© OCR 2017

5 A company makes sweets.
The sweets are put into packets.

Here are some facts.

1.47×10^7 sweets are made every day	3.5×10^5 packets of sweets are produced every day

(a) Calculate the mean number of sweets in one packet.

$\frac{1.47 \times 10^7}{3.5 \times 10^5}$ ✓

42 ✓

(a) ..... [2]

(b) Sweets are made on 288 days each year.

Calculate the number of sweets made each year.
Give your answer in standard form.

$288 \times 1.47 \times 10^7 = 4,233,600,000$

$4.2... \times 10^9$

(b) ..... [3]

(c) The company has 152 machines making the sweets.
Each machine operates for 15 hours each day.

(i) Calculate the number of sweets made by one machine each hour.
Give your answer as an ordinary number correct to the nearest 10.

✓ $\frac{1.47 \times 10^7}{152 \times 15} = 6447.3...$ ✓

6450 ✓

(c)(i) ..... [3]

(ii) State one assumption you have made in part **(c)(i)**.

All machines work at the same rate ✓

..... [1]

© OCR 2017

6 (a) Two bags each contain only red counters and yellow counters.

In Bag A, the ratio of red counters to yellow counters is 1 : 4.

In Bag B, $\frac{1}{4}$ of the counters are red.

(i) Sharon says

The proportion of the counters that are red is the same in both bags.

Explain why Sharon is not correct.

Bag A = $\frac{1}{5}$ are red ✓etc

.....

.....

..... [1]

(ii) The number of counters in the two bags is the same.

Complete the table below to show how many counters of each colour could be in the bags.

eg LCM = 20 ✓

	Red counters	Yellow counters	
Bag A	4	16	20 ✓
Bag B	5	15	20 ✓

[3]

Any common multiple

© OCR 2017

(b) In another bag, Bag C, the ratio of red counters to yellow counters is 3 : 4.
If 3 of the red counters are removed from Bag C, the ratio of red counters to yellow counters is 3 : 5.

How many **yellow** counters are in Bag C?

R	Y
3	4
6	8
9	12
12	16
15	20

m ✓

→ remove 3 red →

R Y

12 : 20 ✓

= 3 : 5

20 ✓

(b) ..... [3]

7 Gustavo invests £520 for 6 years in a bank account paying simple interest.
At the end of 6 years, the amount in the bank account is £629.20.

Calculate the annual rate of interest.

$\frac{629.20 - 520}{6} = £18.20$ per year ✓✓


$\frac{18.2}{520} \times 100$ ✓

3.5 ✓

..... % [4]

© OCR 2017

8 The design below is made from two sectors of circles, centre O.



P

Calculate the perimeter of the shaded part.
Give your answer correct to 3 significant figures.

$x = \frac{45}{360} \times 2 \times \pi \times 6 = 1.5\pi$ ✓ ✓

$y = \frac{45}{360} \times 2 \times \pi \times 2.5 = \frac{5}{8}\pi$ ✓

$P = (3.5 \times 2) + \frac{5}{8}\pi + 1.5\pi = 13.67...$


✓

13.7 ✓

..... cm [5]

© OCR 2017

9 The diagram shows the positions of two towns, Amton and Bisham.



Not to scale

The bearing of Bisham from Amton is $b°$.
The bearing of Amton from Bisham is $6b°$.

Calculate the 3-figure bearing of Amton from Bisham.

$180 - b + 6b = 360$ ✓✓ OE

$5b = 180$


$b = 36$ ✓

216 ✓

..... ° [4]

© OCR 2017

10 This graph shows the world population, in billions, between 1951 and 2015.



Use the graph to estimate the average rate of growth of the world population between 1951 and 2015.
Give suitable units for your answer.

$\frac{7{\cdot}4b - 2{\cdot}6b}{64}$ ✓

75,000,000 ✓


people/year ✓

..... [3]

(71 → 89)


© OCR 2017

11 Reuben is playing a matching game with these cards.



He turns the cards over and shuffles them.
Reuben takes a card and keeps it. He then takes a second card.
If the cards are different, he wins the game.

(a) Complete this tree diagram to show the probabilities for each card picked in the game.



[2]

(b) What is the probability that Reuben wins the game?

$\left(\frac{4}{9} \times \frac{5}{8}\right) + \left(\frac{5}{9} \times \frac{4}{8}\right)$ ✓✓

$= \frac{40}{72}$ or $\frac{5}{9}$ ✓

(b) ..... [3]

© OCR 2017

12 **(a)** A sequence is defined using this term-to-term rule.

$$u_{n+1} = \sqrt{2u_n + 15}$$

If $u_1 = 5$, find u_2.

$\sqrt{10+15}$

5 ✓

(a) ..... **[1]**

(b) Another sequence is defined using this term-to-term rule,

$$u_{n+1} = ku_n + r$$

where k and r are constants.

Given that $u_2 = 41$, $u_3 = 206$ and $u_4 = 1031$, find the value of k and the value of r.

$206 = 41K + r$ ✓

$-\ 1031 = 206K + r$ ✓

$825 = 165K$ ✓

$K = \frac{825}{165} = 5$

$206 = 41 \times 5 + r$

$206 = 205 + r$


(b) $k =$ 5 ✓

$r =$ 1 ✓ **[5]**

© OCR 2017

13 A model railway is built using the scale 1 : 87.

(a) On the model railway, the distance between the rails is 16.5 mm.



Calculate, in metres, the distance between the rails for a full-size train.

$\frac{87 \times 16.5}{10 \times 100}$ ✓

(a) 1.4355 ✓ metres [2]

any rounded 3dp/2dp

(b) The volume of a full-size train carriage is 220 m³.
Trevor calculates the volume of a model train carriage to be 334 cm³ correct to 3 significant figures.

Is Trevor's calculation correct?
Show how you decide.

[$m^3 \rightarrow cm^3 \quad \times 100^3$]

$\frac{220 \times 100^3}{87^3}$ ✓✓

$= 334.091...$

✓

so Yes

..... [3]

© OCR 2017

14 The diagram shows a cross placed on a number grid.

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60

L is the product of the left and right numbers of the cross.
T is the product of the top and bottom numbers of the cross.
M is the middle number of the cross.

(a) Show that when $M = 35$, $L - T = 99$. **[2]**

$(34 \times 36) - (25 \times 45)$ ✓✓

$1224 - 1125 = 99$

(b) Prove that, for any position of the cross on the number grid above, $L - T = 99$. **[5]**

centre $= x$

$(x-1)(x+1) - (x-10)(x+10)$ ✓✓✓

$x^2 - 1 \quad - x^2 + 100$ ✓✓

$= 99$

© OCR 2017

15 The following formula is for the area, A, of the curved surface area of a cone.
$A = \pi rl$, where r is the radius and l is the slant height of the cone.

Calculate the **total** surface area of a cone with radius 5 cm and slant height 12 cm.

Base

$SA = \pi \times 5 \times 12 + \pi \times 5^2$ ✓✓

$= 60\pi + 25\pi$


$= 85\pi$ ✓

or 267.0...

..... cm^2 **[3]**

© OCR 2017

16 ABCD is a parallelogram.



$\overrightarrow{BD} = \mathbf{a}$ and $\overrightarrow{AD} = \mathbf{b}$.
F is the midpoint of BC.
G is the midpoint of DC.
AE = 3EB.

(a) Write down simplified expressions in terms of **a** and **b** for

(i) $\overrightarrow{AB}$,

(a)(i) $b - a$ ✓ ..... [1]

(ii) $\overrightarrow{EB}$.

(ii) $\frac{1}{4}(b - a)$ ✓ ..... [1]

(b) Show that $\overrightarrow{EF} = \frac{1}{4}(3\mathbf{b} - \mathbf{a})$. **[2]**

$\overrightarrow{EF} = \overrightarrow{EB} + \overrightarrow{BF}$

$= \frac{1}{4}b - \frac{1}{4}a + \frac{1}{2}b \quad = \frac{3}{4}b - \frac{1}{4}a \quad = \frac{1}{4}(3b - a)$

✓ ✓

(c) Prove that $\overrightarrow{EF}$ and $\overrightarrow{AG}$ are parallel.


$\overrightarrow{AG} = b + \frac{1}{2}(b - a)$

$= \frac{3}{2}b + -\frac{1}{2}a \quad = \frac{1}{2}(3b - a)$ ✓✓

$\overrightarrow{AG} = 2 \times \overrightarrow{EF}$ hence parallel ✓ [3]

© OCR 2017

17 The diagram shows a circle, centre the origin.



(a) Write down the equation of the circle.

$x^2 + y^2 = 100$

(a) ..... [1]

(b) Point P has coordinates (8, –6).
Show that point P lies on the circle. [2]

$8^2 + (-6)^2 = 64 + 36 = 100$

$\therefore$ lies on the circle

(c) Find the equation of the tangent to the circle at point P.

✓ $m_{OP} = -\frac{6}{8} = -\frac{3}{4}$ $\quad m_t = \frac{4}{3}$ ✓

$-6 = \frac{4}{3} \times 8 + c$ ✓


$c = -\frac{50}{3}$ ✓ $\quad y = \frac{4}{3}x - \frac{50}{3}$ ✓

(c) ..... [5]

or $3y - 4x + 50 = 0$ etc

© OCR 2017

18 The diagram below shows a 1 cm coordinate grid.



$m = \frac{-6}{3} = -2$ ✓

$2 = -2 \times 8 + c$

$c = 18$

$y = -2x + 18$ ✓

(a) Find an inequality that defines region A and another inequality that defines region B.

(a) Region A: $y \leqslant 2$ ✓

Region B: $y \geqslant -2x + 18$ ✓ **[4]**

(b) Shade the region on the grid given by the inequality $y \geqslant 6$. **[2]**

© OCR 2017


(c) A fourth shaded region, given by the inequality

$y \geqslant kx + 2$, $C = 2$

is added to the grid.

The **unshaded** region now has area 23 cm².

Find the value of k.



$\frac{1}{2}(x+8) \times 4 = 23$ ✓

$x + 8 = 11.5$ ✓

$x = 3.5$ ✓

$m = \frac{4}{2.5}$ ✓

(c) $k =$ $\frac{8}{5}$ ✓ [5]

END OF QUESTION PAPER

© OCR 2017