

Please check the examination details below before entering your candidate information.

Candidate surname	Other names
Centre Number	Candidate Number
Pearson Edexcel International GCSE	
Thursday 7 January 2021	
Morning (Time: 2 hours)	Paper Reference 4MA1/1H
Mathematics A	
Paper 1H Higher Tier	
You must have: Ruler graduated in centimetres and millimetres, protractor, compasses, pen, HB pencil, eraser, calculator. Tracing paper may be used.	
Total Marks	

Instructions


- Use **black** ink or ball-point pen.
- Fill in the boxes at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Without sufficient working, correct answers may be awarded no marks.
- Answer the questions in the spaces provided
– *there may be more space than you need*.
- Calculators may be used.**
- You must **NOT** write anything on the formulae page.
Anything you write on the formulae page will gain **NO** credit.

Information

- The total mark for this paper is 100.
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question*.

Advice

- Read each question carefully before you start to answer it.
- Check your answers if you have time at the end.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Answer ALL TWENTY FOUR questions.

Write your answers in the spaces provided.

You must write down all the stages in your working.

1 Pieter owns a currency conversion shop.

Last Monday, Pieter changed a total of 20 160 rand into a number of different currencies.

He changed $\frac{3}{10}$ of the 20 160 rand into euros.

He changed the rest of the rands into dollars, rupees and francs in the ratios 9:5:2

Pieter changed more rands into dollars than he changed into francs.

Work out how many more.

$$\frac{3}{10} \times 20160 = 6048$$

14112

D	R	F
9	5	2

$$\text{difference} = \frac{7}{16} \times 14112$$

6174
rand

(Total for Question 1 is 4 marks)



2 The table gives information about the speeds, in kilometres per hour, of 80 motorbikes as each pass under a bridge.

Speed (s kilometres per hour)	Frequency
$40 < s \leq 50$	10
$50 < s \leq 60$	16
$60 < s \leq 70$	19
$70 < s \leq 80$	23
$80 < s \leq 90$	12

mid pt

$$\begin{array}{l}
 x 45 = 450 \\
 x 55 = 880 \\
 x 65 = 1235 \\
 x 75 = 1725 \\
 x 85 = 1020
 \end{array}$$

(a) Write down the modal class.

$70 < s \leq 80$

(1)

(b) Work out an estimate for the mean speed of the motorbikes as they pass under the bridge. Give your answer correct to 3 significant figures.

$$\begin{array}{r}
 5310 \\
 \hline
 80
 \end{array}$$

66.4

kilometres per hour


(Total for Question 2 is 5 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

3 The diagram shows a container for water in the shape of a prism.



The rectangular base of the prism, shown shaded in the diagram, is horizontal. The container is completely full of water.

Tuah is going to use a pump to empty the water from the container so that the volume of water in the container decreases at a constant rate.

The pump starts to empty water from the container at 1030 and at 1200 the water level in the container has dropped by 20 cm.

Find the time at which all the water has been pumped out of the container.

$$\begin{aligned}
 V &= 125 \times [(60 \times 30) + (55 \times 40)] \\
 &= 500,000 \text{ cm}^3
 \end{aligned}$$

90mins to empty $30 \times 20 \times 125$

$$= \underline{75000}$$

$$\frac{75000}{1.5} = 50,000 \text{ per hr}$$

so takes 10hrs

20:30

(Total for Question 3 is 4 marks)



5 (a) Factorise fully $15y^4 + 20uy^3$

$$5y^3(3y + 4u)$$

(2)

(b) Solve $4 - 3x = \frac{5 - 8x}{4}$

$\times 4$

Show clear algebraic working.

$$\begin{aligned} 16 - 12x &= 5 - 8x \\ 16 &= 5 + 4x \\ 11 &= 4x \\ x &= \frac{11}{4} = 2\frac{3}{4} \end{aligned}$$

$x = 2.75$

(3)

(Total for Question 5 is 5 marks)

6 (a) Write 2 840 000 000 in standard form.

$$2.84 \times 10^9$$


(1)

(b) Write 2.5×10^{-4} as an ordinary number.

$$0.00025$$

(1)

(Total for Question 6 is 2 marks)



7 Chen invests 40 000 yuan in a fixed-term bond for 3 years.

The fixed-term bond pays compound interest at a rate of 3.5% each year.

(a) Work out the value of Chen's investment at the end of 3 years.
Give your answer to the nearest yuan.

$$40000 \times 1.035^3 = 44348.715$$

44349
.....
(3)

Wang invested P yuan.
The value of his investment decreased by 6.5% each year.

At the end of the first year, the value of Wang's investment was 30481 yuan.

(b) Work out the value of P .

$$P \times 0.935 = 30481$$

$$\begin{array}{r} 30481 \\ \hline 0.935 \end{array}$$

32600
.....
(3)

(Total for Question 7 is 6 marks)



8 The region, shown shaded in the diagram, is a path.




Diagram **NOT**
accurately drawn

The boundary of the path is formed by two semicircles, with the same centre O , and two straight lines.

The inner semicircle has a radius of 7 metres.

The path has a width of 2 metres.

Work out the perimeter of the path.

Give your answer correct to one decimal place.


$$\begin{aligned}
 P &= \text{arc} + \text{arc} + \text{---} + \text{---} \\
 &= \frac{2\pi \times 7}{2} + \frac{2\pi \times 9}{2} + 2 + 2
 \end{aligned}$$

$$= 54.26\dots$$

54.3

m

(Total for Question 8 is 3 marks)



9 (a) Simplify $(2x^3y^5)^4$

$$2^4 = 16$$

$$x^{3 \times 4}$$

$$y^{5 \times 4}$$

$$16x^{12}y^{20}$$

(2)

(b) (i) Factorise $x^2 + 5x - 36$

$$(x+9)(x-4)$$

(2)

(ii) Hence, solve $x^2 + 5x - 36 = 0$

$$x = -9, 4$$

(1)

(Total for Question 9 is 5 marks)



10 Here is isosceles triangle ABC .




Diagram NOT
accurately drawn

D is the midpoint of AC and $DB = 16 \text{ cm}$.

Angle $DAB = 65^\circ$

Work out the perimeter of triangle ABC .

Give your answer correct to one decimal place.

$$S^o \textcircled{H} \quad H = AB = \frac{16}{\sin 65^\circ} = 17.65\ldots$$

$$C \textcircled{A} \quad A = AD = \cos 65^\circ \times 17.65 \\ = 7.45\ldots$$

$$P = (2 \times 17.65) + (2 \times 7.45)$$


50.2

cm

(Total for Question 10 is 4 marks)



11 The cumulative frequency graph gives information about the weights, in grams, of 90 bags of sweets.



(a) Find an estimate for the median of the weights of these bags of sweets.

(ms 145-147)

146

(2)

grams

Roberto sells the bags of sweets to raise money for charity.

Bags with a weight greater than d grams are labelled large bags and sold for 3.75 euros each bag.

The total amount of money he receives by selling all the large bags is 93.75 euros.

(b) Find the value of d .

$$\frac{93.75}{3.75} = 25$$

$$90 - 25 = 65$$

[ms 150-152]

151

(3)

(Total for Question 11 is 5 marks)

200



12 (a) Express $\frac{4}{x-2} - \frac{3}{x+1}$ as a single fraction.

Give your answer in its simplest form.

$$\frac{4(x+1) - 3(x-2)}{(x-2)(x+1)}$$

$$\frac{4x+4 - 3x+6}{(x-2)(x+1)} = \frac{x+10}{(x-2)(x+1)}$$

(3)

(b) Expand and simplify $2x(x-5)(x-3)$

$$2x(x^2 - 5x - 3x + 15)$$

$$2x(x^2 - 8x + 15)$$

$$2x^3 - 16x^2 + 30x$$

(3)

(Total for Question 12 is 6 marks)



13 Point A has coordinates $(5, 8)$
Point B has coordinates $(9, -4)$

(a) Work out the gradient of AB .

$$m_{AB} = \frac{-4 - 8}{9 - 5} = \frac{-12}{4}$$

$$m = -3$$

(2)

The straight line L has equation $y = -4x + 5$

(b) Write down the gradient of a straight line that is perpendicular to L .

$$m_L = -4$$

$$m_L = \frac{1}{4}$$


(1)

(Total for Question 13 is 3 marks)



14 Ding is going to play one game of snooker against each of two of his friends, Marco and Judd.

The probability tree diagram gives information about the probabilities that Ding will win or lose each of these two games.



(a) Work out the probability that Ding will win both games.

$$0.6 \times 0.9 = 0.54$$

(2)

(b) Work out the probability that Ding will win exactly one of the games.

$$= (0.6 \times 0.1) + (0.4 \times 0.25)$$

$$= 0.16$$

(3)

(Total for Question 14 is 5 marks)



15

$$a = \frac{v - u}{t}$$

$v = 9.6$ correct to 1 decimal place

$u = 3.8$ correct to 1 decimal place

$t = 1.84$ correct to 2 decimal places

Calculate the upper bound for the value of a .

Give your answer as a decimal correct to 2 decimal places.

Show your working clearly.

$$v \nearrow \begin{matrix} 9.65 \\ 9.55 \end{matrix}$$

$$u \nearrow \begin{matrix} 3.85 \\ 3.75 \end{matrix}$$

$$t \nearrow \begin{matrix} 1.845 \\ 1.835 \end{matrix}$$

$$a \uparrow = \frac{v \uparrow - u \downarrow}{t \downarrow}$$

$$\frac{9.65 - 3.75}{1.835}$$

$$\therefore 3.215\dots$$

$$3.22$$

(Total for Question 15 is 3 marks)



16 The diagram shows the positions of three ships, A , B and C .




Diagram NOT
accurately drawn

Ship B is due north of ship A .

The bearing of ship C from ship A is 120°

Calculate the bearing of ship C from ship B . $= \chi$
Give your answer correct to the nearest degree.

$$BC^2 = 150^2 + 275^2 - 2 \times 150 \times 275 \times \cos 120$$

$$BC = \sqrt{139375} = 25\sqrt{223}$$

$$\frac{\sin B}{275} = \frac{\sin 120}{25\sqrt{223}}$$

$$B = \sin^{-1}(0.6379...) = 39.6^\circ$$

$$\chi = 180 - 39.6... = 140.3...$$

$$= \underline{\underline{140^\circ}}$$



17 A solid, S , is made from a hemisphere and a cylinder.

The centre of the circular face of the hemisphere and the centre of the top face of the cylinder are at the same point.




Diagram NOT
accurately drawn

The radius of the cylinder and the radius of the hemisphere are both x cm.
The height of the cylinder is $(20 - 4x)$ cm.

The volume of S is V cm³ where $V = \frac{1}{3}\pi x^3 + \pi x^2(20 - 4x)$

Find the maximum value of V .
Show clear algebraic working.

$$V = \left(\frac{2}{3}\pi x^3\right) + \left(\pi x^2(20 - 4x)\right) = \frac{1}{3}\pi y$$


$$= \frac{2x^3}{3} + 20x^2 - 4x^3 = \frac{y}{3}$$

$$= 60x^2 - 10x^3 = y$$

$$\frac{dy}{dx} = 120x - 30x^2 = 0$$

$$x = 4$$

$$y = 60(4^2) - 10(4^3) = \underline{\underline{320}}$$



(Total for Question 17 is 5 marks)

18 Given that $(8 - \sqrt{x})(5 + \sqrt{x}) = y\sqrt{x} + 21$ where x is a prime number and y is an integer, find the value of x and the value of y . Show each stage of your working clearly.

$$40 + 8\sqrt{x} - 5\sqrt{x} - x = y\sqrt{x} + 21$$
$$3\sqrt{x} + 40 - x = y\sqrt{x} + 21$$

$$x = \underline{\hspace{2cm}} \quad 19$$
$$y = \underline{\hspace{2cm}} \quad 3$$

(Total for Question 18 is 3 marks)



19 Solve the simultaneous equations

$$x^2 - 9y - x = 2y^2 - 12$$

$$x + 2y - 1 = 0$$

$$x = 1 - 2y$$

Show clear algebraic working.

$$(1-2y)^2 - 9y - (1-2y) = 2y^2 - 12$$

$$1 + 4y^2 - 4y - 9y - 1 + 2y = 2y^2 - 12$$

$$2y^2 - 11y + 12 = 0$$

$$(2y-3)(y-4) = 0$$

$$y = \frac{3}{2} \quad | \quad y = 4$$

$$x = 1 - 2\left(\frac{3}{2}\right) \quad | \quad x = 1 - 2(4)$$

$$= -2 \quad | \quad = -7$$

$$x = -2, y = \frac{3}{2} \quad x = -7, y = 4$$

(Total for Question 19 is 5 marks)



20 A and B are two similar solids.





Diagram NOT
accurately drawn

A has a volume of 1836 cm^3
B has a volume of 4352 cm^3

B has a total surface area of 1120 cm^2

Work out the total surface area of A.

Volume $A \xrightarrow{x \frac{64}{27}} B$

Linear $A \xrightarrow{\sqrt[3]{\frac{64}{27}}} B = \frac{4}{3}$

Area $A \xrightarrow{x \left(\frac{4}{3}\right)^2} B \xrightarrow{=} 1120$

so $1120 \div \frac{16}{9} = 630 \text{ cm}^2$

(Total for Question 20 is 3 marks)



21 A curve has equation $y = f(x)$

The coordinates of the minimum point on this curve are $(-9, 15)$

(a) Write down the coordinates of the minimum point on the curve with equation

(i) $y = f(x + 3)$

3 ←


$(-12, 15)$

(ii) $y = \frac{1}{3} f(x)$

\uparrow $\times \frac{1}{3}$

$(-9, 5)$
(2)

The graph of $y = a \cos(x + b)^\circ$ for $0 \leq x \leq 360$ is drawn on the grid below.



Given that $a > 0$ and that $0 < b < 360$

(b) find the value of a and the value of b .

$a = 2$
 $b = 90$
(2)

(Total for Question 21 is 4 marks)



22 The function f is such that $f(x) = x^2 - 8x + 5$ where $x \leq 4$

Express the inverse function f^{-1} in the form $f^{-1}(x) = \dots$

$$y = x^2 - 8x + 5$$

$$y = (x - 4)^2 - 16 + 5$$

$$y = (x - 4)^2 - 11$$

$$y + 11 = (x - 4)^2$$

$$\pm\sqrt{y + 11} = x - 4$$

$$x = 4 \pm \sqrt{y + 11}$$

but $(x \leq 4)$

$$\text{so } x = 4 - \sqrt{y + 11}$$

$$f^{-1}(x) = 4 - \sqrt{x + 11}$$

(Total for Question 22 is 3 marks)



23 OAB is a triangle.




Diagram NOT
accurately drawn

$$\vec{OA} = 2\mathbf{a} \text{ and } \vec{OB} = 2\mathbf{b}$$

M is the midpoint of AB .

N is the point on OB such that $ON:NB = 2:1$

P is the point on AN such that OPM is a straight line.

Use a vector method to find $OP:PM$

Show your working clearly.

$$\vec{AB} = -2\mathbf{a} + 2\mathbf{b}$$

$$\begin{aligned}\vec{OM} &= 2\mathbf{a} + \frac{1}{2}(-2\mathbf{a}+2\mathbf{b}) \\ &= \mathbf{a} + \mathbf{b}\end{aligned}$$

$$\vec{OP} = K(\mathbf{a}+\mathbf{b})$$

$$\vec{AN} = -2\mathbf{a} + \frac{2}{3}(2\mathbf{b}) = -2\mathbf{a} + \frac{4}{3}\mathbf{b}$$

$$\vec{OP} = 2\mathbf{a} + c(-2\mathbf{a} + \frac{4}{3}\mathbf{b})$$

$$\text{so } 2\mathbf{a} + c(-2\mathbf{a} + \frac{4}{3}\mathbf{b}) = K(\mathbf{a}+\mathbf{b})$$

$$\textcircled{a} \quad 2 - 2c = K \quad \textcircled{b} \quad \frac{4}{3}c = K$$

$$2 - 2c = \frac{4}{3}c \quad \text{so} \quad c = \frac{3}{5}$$

$$K = \frac{4}{3} \times \frac{3}{5} = \frac{4}{5}$$

$$\begin{aligned}\text{so } OP:OM \\ \frac{4}{5} : \frac{1}{5}\end{aligned}$$

$$\underline{\underline{4:1}}$$

24 An arithmetic series has first term a and common difference d .

The sum of the first $2n$ terms of the series is four times the sum of the first n terms of the series.

Find an expression for a in terms of d .

Show your working clearly.

$$4 \times S_n = \frac{4n}{2} [2a + (n-1)d] = \frac{2n}{2} [2a + (2n-1)d]$$

$$\Rightarrow 4a + 2d(n-1) = 2a + d(2n-1)$$

$$\Rightarrow 2a + 2dn - 2d = \boxed{+2nd - d}$$

$$\Rightarrow 2a = d$$

$$a = \frac{d}{2}$$

(Total for Question 24 is 4 marks)

TOTAL FOR PAPER IS 100 MARKS

