

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
1(a)	8	B1	accept $2 \times 2 \times 2 = 8$

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
1(b)	(3.45 + 2.07 =) 5.52 or (3.45 – 1.3 =) 2.15 or (2.07 – 1.3 =) 0.77	B1	implied by correct answer
	4.22	B1ft	ft their 5.52 – 1.3 correctly evaluated or their 2.15 + 2.07 correctly evaluated or their 0.77 + 3.45 correctly evaluated SC1 6.82 or 0.08
<b>Additional Guidance</b>			
SC1 arises from correctly adding all three values or from correctly subtracting the final two from the first			

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
2(a)	[68, 72]	B1	
	<b>Additional Guidance</b>		
Check diagram for working but answer line takes precedence			

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
2(b)	[30, 34]	B1	
	<b>Additional Guidance</b>		
Check diagram for working but answer line takes precedence			

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
3	any number greater than 3.7	B1	

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
<b>4(a)</b>	1.25	B1	oe
	<b>Additional Guidance</b>		
	Accept on number line but answer line takes precedence		

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
<b>4(b)</b>	-3400	B1	
	<b>Additional Guidance</b>		
	Accept on number line but answer line takes precedence		

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
<b>5</b>	10	B1	

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
<b>6(a)</b>	4a	B1	
	<b>Additional Guidance</b>		
	$a4$ or $4 \times a$		B0

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
<b>6(b)</b>	$5(a + 2)$	B1	oe
	<b>Additional Guidance</b>		
	$5(1a + 2)$		B1
	Condone missing final bracket and/or multiplication sign between 5 and bracket		
	Ignore an attempt to solve $5(a + 2) = 0$		

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
<b>6(c)</b>	$40 - 4x$ or $-4x + 40$	B2	B1 $40$ or $-4x$
	<b>Additional Guidance</b>		
	Condone $40 - 4 \times x$ for B2		
	Do not condone further work for B2		

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>	
<b>7(a)</b>	$3 \text{ h } 45 \text{ min}$ or $9.15 + 3 + 45$ or $9.15 + 4 - 15$ or $1.15 \text{ (pm)} - 15$ or $9\frac{1}{4} + 3\frac{3}{4}$ or $13\text{(.00 am)}$ or $1 \text{ (o'clock)}$ or $1\text{(.00 am)}$	M1	oe condone mixed units	
	13.00 or 1(.00)pm		A1	
	<b>Additional Guidance</b>			
	Condone 13.00pm		M1A1	
$9.15 + 3\frac{3}{4}$ or $12.15 + \frac{3}{4}$ without valid further working			M0A0	

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
<b>Alternative method 1 – working in minutes</b>			
	$4 \times 60 + 10$ or 250	M1	oe
	their 250 – 186	M1	oe their 250 must be > 186
	64	A1	SC2 69 SC1 224
<b>Alternative method 2 – working in hours</b>			
<b>7(b)</b>	$186 \div 60$ or 3 h 6 min	M1	oe implied by 3.1 or 1 h 4 min
	4 h 10 min – their 3 h 6 min or 1 h 4 min	M1	oe their 3 h 6 min must be < 4 h 10 min
	64	A1	SC2 69 SC1 224
<b>Additional Guidance</b>			
	SC2 comes from incorrect conversion of 3.1 h to 3 h 1 min SC1 comes from use of 100 min in an hour		

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
	No and 23 and 25 or No and 2 more	B2	B1 23 or 25 No may be implied by wording
<b>Additional Guidance</b>			
Check table for working			
Ignore incorrect use of inequalities			
23 is less than 25 so Shamira's wrong (box not ticked)			B2

Q	Answer	Mark	Comments	
8(b)	<p>Fully correct bar chart:</p> <ul style="list-style-type: none"> <li>Bars or axis labelled with types of vehicle (accept C, B, V, L)</li> <li>four bars with equal widths</li> <li>equal gaps or no gaps between the bars</li> <li>all heights correct for their frequencies</li> </ul>	B3ft	<p>correct or ft their frequencies from (a) but not 0</p> <p>B2 3 criteria met</p> <p>B1 2 criteria met</p>	
	<b>Additional Guidance</b>			
	Mark intention throughout			
	Condone a different gap between the vertical axis and the first bar, to the other (equal) gaps			
	<p>Vertical lines can score a maximum of B2</p> <p>Points can score a maximum of B1</p>			

Q	Answer	Mark	Comments
9	<p>Fully correct:</p> <ul style="list-style-type: none"> <li>• 4 correct sums</li> <li>• only uses integers 1-12</li> <li>• no repeated numbers</li> </ul> <p><math>1 + 2 + 4 = 7</math>  <math>9 + 11 + 12 = 32</math>  <math>3 + 5 + 7 = 15</math>  <math>6 + 8 + 10 = 24</math></p>	B3	<p>each set of 3 in any order</p> <p>B2</p> <p>4 mathematically correct sums with one of:</p> <ul style="list-style-type: none"> <li>• only uses integers 1-12</li> <li>• no repeated numbers</li> </ul> <p>or</p> <p>2 or 3 mathematically correct sums and both of:</p> <ul style="list-style-type: none"> <li>• only uses integers 1-12</li> <li>• no repeated numbers</li> </ul> <p>B1</p> <p>2 or 3 mathematically correct sums with one of:</p> <ul style="list-style-type: none"> <li>• only uses integers 1-12</li> <li>• no repeated numbers</li> </ul> <p>or</p> <p>only 4 mathematically correct sums</p>
<b>Additional Guidance</b>			
Allow negative or decimal numbers for up to B2			
For a row to be mathematically correct, there must be three numbers Blank boxes should not be treated as zeros			
Any box that is not crossed out must be considered when checking the conditions regarding integers 1-12 and repeated numbers If a number is crossed out, but still legible, judge in favour of the student to give the best mark			
A completed row takes precedence over working space If a row is blank, check working space for that calculation and award a mark based on the work that benefits the student most Working outside of boxes must be evaluated			

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
<b>10</b>	$100 \div 5$ or 20 or 80 or 60 or 160 or 180	M1	may be on diagram
	their $20 \times 7$ or their 80 + their 60 or $180 - \text{their } 20 \times 2$	M1dep	oe
	140	A1	
	<b>Additional Guidance</b>		
	Units must be stated for working in centimetres		
	Lengths from measuring		M0

Q	Answer	Mark	Comments
11(a)	<b>Alternative method 1</b>		
	90 ÷ 10 or 9	M1	oe
	their 9 × 15	M1dep	oe
	135(.00)	A1	
	<b>Alternative method 2</b>		
	15 ÷ 10 or 1.5 or 10 ÷ 15 or $\frac{2}{3}$	M1	oe
	90 × their 1.5 or 90 ÷ their $\frac{2}{3}$	M1dep	oe
	135(.00)	A1	
	<b>Alternative method 3</b>		
	90 ÷ (10 ÷ (15 – 10)) or 45	M1	oe
	90 + their 45 or their 45 × 3	M1dep	oe
	135(.00)	A1	
	<b>Additional Guidance</b>		
	Allow one error in a build-up method		

Q	Answer	Mark	Comments
<b>Alternative method 1: works out extra from hourly increase or totals (and compares to tax)</b>			
	$15 \times (0.5)$ or $15 \div 2$ or $15 \times (\text{their } 9 + 0.5) - 15 \times \text{their } 9$ or $142.5(0) - \text{their } 135$ or $7.5(0)$	M1	oe may be working in pence or pounds
It is less than he expected and $7.5(0)$		A1ft	correct or ft their hourly rate and/or their answer in (a)
<b>Alternative method 2: works out actual amount (and compares to expected amount)</b>			
$15 \times (\text{their } 9 + 0.5) - 8.9(0)$ or $142.5(0) - 8.9(0)$ or $133.6(0)$		M1	oe may be working in pence or pounds
Correct box ticked for comparison with their (a) and $133.6(0)$		A1ft	correct or ft their hourly rate and/or their answer in (a)
<b>Additional Guidance</b>			
It's 1.40 less with 135 in (a) (with no box ticked)			M1A1
Allow one error in a build-up method			
Ignore further work after correct answer seen			

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
<b>12</b>	Mode is 9	B1	do not allow a bimodal list
	Middle two numbers (in numerical order) add to 26	B1	
	Range = 11	B1	
	<b>Additional Guidance</b>		
	There must be 6 numbers to award B3, but first and third marks may be awarded for a set of 5 numbers		
	If B3 cannot be awarded for their answer, award the best mark from boxes or in working (including legible, crossed out working) for up to B2		

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
<b>13</b>	hexagon or octagon	B1	

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
<b>14</b>	Any two of $(-2, -10)$ , $(-1, -8)$ , $(0, -6)$ , $(1, -4)$ , $(2, -2)$ , $(3, 0)$ , $(4, 2)$ , $(5, 4)$	M1	two correct pairs of coordinates may be in a table implied by points plotted $\pm 2$ mm
	At least two correct points plotted or At least two of their points plotted correctly	M1	implied by correct line of any length $\pm 2$ mm
	Straight line from $(-2, -10)$ to $(5, 4)$	A1	ignore line outside the domain $[-2, 5]$
	<b>Additional Guidance</b>		
	Ignore additional points listed or plotted		

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
15	$\left(\frac{5}{8} =\right) \frac{10}{16}$ or Converts both fractions to a common denominator with at least one numerator correct	M1	
	$\frac{23}{16}$	A1	oe improper fraction
	$1\frac{7}{16}$	B1ft	oe mixed number ft correct conversion of their improper fraction to a mixed number
	<b>Additional Guidance</b>		
	Ignore incorrect simplification after B1 or B1ft awarded		

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
16(a)	(10, 3)	B1	
	<b>Additional Guidance</b>		
	Check diagram if answer line blank		

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
16(b)	$x = 6$	B1	
	<b>Additional Guidance</b>		
	Check diagram if answer line blank		

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
17	$80 \times \frac{1}{10} (\times 9)$ or 8 or 72	M1	oe
	their $72 \times \frac{1}{3} (\times 2)$ or 24 or 48	M1dep	oe
	80 – their 48 or their 24 + their 8 or 32 or $\frac{32}{80}$	M1dep	oe dep on M2
	$\frac{2}{5}$	A1	SC3 $\frac{3}{10}$
<b>Additional Guidance</b>			
	SC3 is for omitting the initial $\frac{1}{10}$		

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
18	$(2^2 + 5 =) 9$ or $4 \times 2^2 + 4 \times 5$ or $-4 \times 2^2 + -4 \times 5$ or $(-)36$	M1	oe
	100 – their 36 or 64	M1dep	oe
	8	A1	accept $\pm 8$
	<b>Additional Guidance</b>		
	100 – $4 \times 4 + 4 \times 5$ or $100 - 16 + 20$ not recovered		MOMOA0

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
19	A or B or both	B1	

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
<b>20</b>	First graph is a straight line from (0, 0) to (100, 200) and second graph is a straight line from (0, 0) to (100, 300)	B2	B1 first graph is a straight line from (0, 0) to (100, 200) or second graph is a straight line from (0, 0) to (100, 300) or both graphs correct, but one or both does not reach to 0 or 100 on the horizontal axis or at least 3 correct points plotted on both graphs or B1ft first graph is an incorrect horizontal or increasing straight line to 100 on the horizontal axis, and second graph is a correct ft graph to 100 on the horizontal axis (must be joined)
<b>Additional Guidance</b>			
Ignore graphs to the right of 100 on the horizontal axes			
B1ft can only be awarded if the graph fits onto the grid up to (100, 500)			

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
<b>21</b>	0 or zero	B1	

Q	Answer	Mark	Comment
22	$(8^2 \times 8 =) 8^3 \text{ or } (8^9 \div 8^5 =) 8^4$ or 512 or 4096 or $8^2 \times 8 \div 8^9 \times 8^5$	M1	
	$(8^3 \text{ or } 512) \div (8^4 \text{ or } 4096)$ or $8^{(2+1-9+5)}$ or $8^8 \times 8^{-9}$ or $8^{-1} \text{ or } \frac{1}{8}$		oe in the form $8^n \div 8^{(n+1)}$ oe where index sums to -1 oe in the form $8^n \times 8^{(-n-1)}$ oe fraction
	(0).125	A1	
<b>Additional Guidance</b>			
	(0).125 and either $8^{-1}$ or $\frac{1}{8}$ on the answer line	M1M1A1	
	(0).125 in working and $8^{-1}$ on the answer line	M1M1A0	
	If a student attempts numerical and index working award the higher mark		

Q	Answer	Mark	Comments
23	$y = 3x + c$	B1	$c \neq 1$

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comment</b>	
	Valid description	B1	<p>eg</p> <p>as downloads increase, so do CD sales</p> <p>downloads are about <math>\left[ 1\frac{1}{3}, 2 \right]</math> times as many as CDs</p> <p>CDs are about <math>\left[ \frac{1}{2}, \frac{3}{4} \right]</math> as many as downloads</p>	
<b>Additional Guidance</b>				
24(a)	Ignore 'Positive correlation'			
	Condone references to causality eg an increase in downloads causes an increase in CDs sold			B1
	As one goes up the other goes up / Both go up at a similar rate			B1
	They both go up			B0
	Downloads are always more than CDs			B0
	They are in direct proportion			B0
	The relationship is linear			B0

Q	Answer	Mark	Comment
24(b)	<b>Alternative method 1 – reading from the graph</b>		
	2.5(0) × 9000 or 22 500 or [5300, 5500]	M1	oe 2.5(0) may be 2 or 3 [5300, 5500] may be 5000
	2.5(0) × 9000 + 3 × [5300, 5500] or 22 500 + [15 900, 16 500]	M1dep	oe 2.5(0) may be 2 or 3 [5300, 5500] may be 5000
	[38 400, 39 000]	A1ft	ft 2 or 3 for 2.5(0) and/or 5000 for [5300, 5500]
	<b>Alternative method 2 – using a multiplier</b>		
	2.5(0) × 9000 or 22 500 or 9000 × [0.5, 0.75]	M1	oe 2.5(0) may be 2 or 3
	2.5(0) × 9000 + 3 × 9000 × [0.5, 0.75]	M1dep	oe 2.5(0) may be 2 or 3
	[36 000, 42 750] with 9000 × [0.5, 0.75] seen	A1ft	ft 2 or 3 for 2.5(0)
	<b>Additional Guidance</b>		
	Check graph for working		
	Working may be in pence, units not required for up to M2 Final answer in pence must have units to award A1		

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comment</b>
<b>25</b>	Correct method to find 1%, 2%, 5%, 10%, 100% or 840% of the number	M1	
	Fully correct method	M1dep	
	600	A1	
<b>Additional Guidance</b>			
Up to M2 may be awarded for multiple attempts if no answer chosen			

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comment</b>	
<b>26</b>	$(x =) [2.25, 2.75]$ and $(x =) [9.25, 9.75]$	B2	B1 $(x =) [2.25, 2.75]$ or $(x =) [9.25, 9.75]$ or one or both values identified but not given in correct notation eg $(2.5, 0)$ and/or $(9.5, 0)$ or $2.5 < x < 9.5$ or 2.5 and/or 9.5 written on the graph or in working	
	<b>Additional Guidance</b>			
	$x =$ can be $x \approx$			
$[2.25, 2.75]$ and/or $[9.25, 9.75]$ with one extra value			B1	
$[2.25, 2.75]$ and/or $[9.25, 9.75]$ with more than one extra value			B0	
Answer from use of formula or completing the square			B0	

Q	Answer	Mark	Comment
27	$(\pi \times) \left(\frac{\sqrt{17}}{2}\right)^2$	M1	oe condone missing brackets
	$\frac{17}{4}(\pi)$ or $4\frac{1}{4}(\pi)$ or $4.25(\pi)$	A1	oe fraction, mixed number or decimal
	$(\pi \times) 5^2$ or $(\pi \times) 25$ or $\frac{60}{360}$ used	M1	oe
	$\frac{25}{6}(\pi)$ or $4\frac{1}{6}(\pi)$ or $4.1(6\dots)(\pi)$ or $4.17(\pi)$	A1	oe fraction, mixed number or decimal
	A with values in comparable form or A by $\frac{1}{12}(\pi)$ or A by $0.08(3\dots)(\pi)$	A1	eg values $\frac{51}{12}(\pi)$ and $\frac{50}{12}(\pi)$ $4\frac{1}{4}(\pi)$ and $4\frac{1}{6}(\pi)$ $4.2(5)(\pi)$ and $4.1(6\dots)(\pi)$ $4.2(5)(\pi)$ and $4.17(\pi)$ accept 'circle' for A allow comparison of fraction or decimal parts only if integer parts shown as equal
	<b>Additional Guidance</b>		
	For the final mark, presence or absence of $\pi$ must be the same for both values		
	Accept consistent use of a numerical value of $\pi$ throughout. The value can be 3 or 3.1 or 3.14 or 3.142 or better		

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comment</b>
28	$(x + 6)(x - 4)$	B2	either order B1 $(x + a)(x + b)$ where $ab = -24$ or $a + b = 2$
<b>Additional Guidance</b>			
	Condone a multiplication sign between the brackets		
	Condone missing final bracket		
	Ignore an attempt to solve $(x + 6)(x - 4) = 0$		

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comment</b>
29(a)	2000	B1	

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comment</b>
29(b)	0.5 or $\frac{2 \times 10^3}{5 \times 10^{-1}}$ or $\frac{\text{their 2000}}{5 \times 10^{-1}}$ or $0.4 \times 10^{3-(-1)}$ or $0.4 \times 10^4$	M1	oe their 2000 from part (a)
	4000 or $4 \times 10^3$	A1ft	ft $2 \times$ their 2000 in part (a)