

Mark Scheme (Results)

Summer 2024

Pearson Edexcel GCSE In Mathematics (1MA1) Higher (Calculator) Paper 2H

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2024
Question Paper Log Number P76925A
Publications Code 1MA1_2dH_2406_MS
All the material in this publication is copyright
© Pearson Education Ltd 2024

General marking guidance

These notes offer general guidance, but the specific notes for examiners appertaining to individual questions take precedence.

- All candidates must receive the same treatment. Examiners must mark the last candidate in exactly the same way as they mark the first. Where some judgement is required, mark schemes will provide the principles by which marks will be awarded; exemplification/indicative content will not be exhaustive. When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the response should be sent to review.
- All the marks on the mark scheme are designed to be awarded; mark schemes should be applied positively. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme. If there is a wrong answer (or no answer) indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

Questions where working is not required: In general, the correct answer should be given full marks. **Questions that specifically require working**: In general, candidates who do not show working on this type of question will get no marks – full details will be given in the mark scheme for each individual question.

3 Crossed out work

This should be marked **unless** the candidate has replaced it with an alternative response.

4 Choice of method

If there is a choice of methods shown, mark the method that leads to the answer given on the answer line. If no answer appears on the answer line, mark both methods **then award the lower number of marks.**

5 Incorrect method

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Send the response to review for your Team Leader to check.

6 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working as you can check the answer, but if ambiguous do not award.

Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

7 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question or its context. (eg an incorrectly cancelled fraction when the unsimplified fraction would gain full marks).

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect (eg. incorrect algebraic simplification).

8 Probability

Probability answers must be given as a fraction, percentage or decimal. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

9 Linear equations

Unless indicated otherwise in the mark scheme, full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously identified in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded (embedded answers).

10 Range of answers

Unless otherwise stated, when an answer is given as a range (eg 3.5 – 4.2) then this is inclusive of the end points (eg 3.5, 4.2) and all numbers within the range

11 Number in brackets after a calculation

Where there is a number in brackets after a calculation eg 2×6 (=12) then the mark can be awarded **either** for the correct method, implied by the calculation **or** for the correct answer to the calculation.

12 Use of inverted commas

Some numbers in the mark scheme will appear inside inverted commas eg " $12" \times 50$; the number in inverted commas cannot be any number – it must come from a correct method or process but the candidate may make an arithmetic error in their working.

13 Word in square brackets

Where a word is used in square brackets eg [area] \times 1.5 : the value used for [area] does **not** have to come from a correct method or process but is the value that the candidate believes is the area. If there are any constraints on the value that can be used, details will be given in the mark scheme.

14 Misread

If a candidate misreads a number from the question. eg uses 252 instead of 255; method or process marks may be awarded provided the question has not been simplified. Examiners should send any instance of a suspected misread to review.

Guidance on the use of abbreviations within this mark scheme

- **M** method mark awarded for a correct method or partial method
- **P** process mark awarded for a correct process as part of a problem solving question
- A accuracy mark (awarded after a correct method or process; if no method or process is seen then full marks for the question are implied but see individual mark schemes for more details)
- **C** communication mark awarded for a fully correct statement(s) with no contradiction or ambiguity
- **B** unconditional accuracy mark (no method needed)
- **oe** or equivalent
- cao correct answer only
- **ft** follow through (when appropriate as per mark scheme)
- **sc** special case
- dep dependent (on a previous mark)
- indep independent
- awrt answer which rounds to
- **isw** ignore subsequent working

Paper: 1MA	1/2H			
Question	Answer	Mark	Mark scheme	Additional guidance
1	16.2	M1	for a correct first step to find BC , eg $19^{2} = 10^{2} + BC^{2} \text{ or } 19^{2} - 10^{2} \text{ (= 261) or } \sqrt{19^{2} - 10^{2}} \text{ or } \sqrt{261} \text{ or } 3\sqrt{29}$	Can use alternative letter for <i>BC</i> provided intention is clear If using an alternative method using trigonometry must have <i>BC</i> as the only unknown
		A1	for answer in the range 16.1 to 16.2	ISW incorrect rounding if answer given in range
2 (a)	2×3×3×5	M1	for a complete method to find prime factors; could be shown on a complete factor tree with no more than one error or by division by prime factors with no more than one error or for 2, 3, 3, 5	Condone the inclusion of 1 for this mark
		A1	for $2\times3\times3\times5$ oe	Accept $2 \times 3^2 \times 5$
(b)	36	B1	for 36	Accept $2^2 \times 3^2$ or $2 \times 2 \times 3 \times 3$
3	4	M1	for method to use formula, eg $72 \div 6 \ (=12)$ or $72 \div 9 \ (=8)$	Can be implied by $\frac{72}{6}$ or $\frac{72}{9}$
		A1	cao	

Paper: 1MA1	Paper: 1MA1/2H						
Question	Answer	Mark	Mark scheme	Additional guidance			
4	70	P1	for process to find number of discs in the bag, eg $24 \div 0.16$ (=150) or for process to find the total probability of red or blue, eg $1-0.16$ (= 0.84 or $\frac{21}{25}$ oe)	May be implied by 126			
		P1	for process to work with the ratio eg ([total] – 24) ÷ (5+4) (=14) or for a process to find the probability of red, eg [probability] ÷ (5+4)×5 (= 0.46 or $\frac{7}{15}$)	0.46 or better or 0.47 may imply P2 [total] can be any integer [probability] can be any value less than 1			
		P1	for a complete correct process to find the number of red discs eg "14"×5 or "0.46"×24÷0.16 or an answer of $\frac{70}{150}$	If correct processes seen to find the total for both red and blue or 70:56 award P3 Must come from correct use of probability and ratio in either order			
		A1	for 70	If the values for red and blue are found, the value for red must be clearly identified as the answer to gain A1			

Paper: 1MA1	Paper: 1MA1/2H						
Question	Answer	Mark	Mark scheme	Additional guidance			
5 (a)	(6) 2 (0) 0 (2) 6	B2 (B1	for all 3 values correct for 1 or 2 correct values)				
(b)	Graph drawn	В2	for a fully correct graph	Accept a freehand curve drawn			
				that is not made of line segments Ignore anything drawn outside the required range			
		(B1	ft (dep on B1 in (a)) for plotting at least 5 of the points from their table correctly)	and required range			
(c)	-1.7 to -1.5 and 2.5 to 2.7	M1	for drawing the line $y = 4$ or reading off intersections where $y = 4$ or one correct solution or both solutions given as coordinates,	ft their graph for this mark			
			eg (-1.6, 2.6) or (-1.6, 4) and (2.6, 4)	Accept these coordinates reversed			
		A1	for answers in the range -1.7 to -1.5 and 2.5 to 2.7 or ft their graph with at least 2 solutions	Algebraic methods score 0 marks			

Paper: 1MA1	Paper: 1MA1/2H					
Question	Answer	Mark	Mark scheme	Additional guidance		
6	Yes, supported by correct figures	P1	for a process to find the number of sweets Tina gives to Andy, eg $14 \div 7 \times 3$ (= 6) or for a process to work with fractions of the total to find fraction given to Andy, eg $\frac{14}{21} \times \frac{3}{7} = \frac{2}{7}$ or for dividing a given number (eg 441) in the	May work with an equivalent ratio, eg 21 : 126 : 294 and do $294 \div 7 \times 3 = 126$ as a first step May work in multiples of x for all marks		
		P1	ratio 1: 6: 14 (= 21: 126: 294) for a process to find number for Andy and Tina after first exchange, eg A = 1 + "6" (=7) and T = 14 - "6" (=8) or for a process to find the number of sweets Tina gives to Luke eg $(14 - "6") \times \frac{12.5}{100}$ (=1) or for a process to work with fractions of the total to find fraction given to Luke, eg for $\frac{(14 - "6")}{21} \times \frac{12.5}{100}$ or process to work out the number of sweets given to Andy and Luke for their total, eg "294" ÷ 7 × 3 (= 126) and ("294" – "126") $\times \frac{12.5}{100}$ (= 21)	all marks		
		P1	for a process to find the final amounts or final shares for at least two of Andy, Luke and Tina eg two of $1 + \text{``6''} (=7)$, $6 + \text{``1''} (=7)$, $14 - \text{``6''} - \text{``1''} (=7)$ or $\frac{1}{21} + \frac{\text{`'2''}}{7} \left(= \frac{7}{21} \right)$, $\frac{6}{21} + \frac{\text{`'1}}{21} \left(= \frac{7}{21} \right)$, $\frac{14}{21} - \frac{\text{`'2}}{7} - \frac{1}{21} \left(= \frac{7}{21} \right)$ or "21" + "126" (= 147), "126" + "21" (= 147), "294" - "126" - "21" (= 147)			
		C1	Yes, supported by full working and accurate figures for Andy, Luke and Tina	Accurate figures with no supportive working scores 0		

Paper: 1MA1	Paper: 1MA1/2H					
Question	Answer	Mark	Mark scheme	Additional guidance		
7	Shown	M1	for deriving a suitable equation,			
			eg 4x + 15 + 2x + 15 + 4x + 8 + 3x - 3 = 360 (13x + 35 = 360)			
			or $4x+15+2x+15=180$ $(6x+30=180)$			
			or $4x+8+3x-3=180$ $(7x+5=180)$			
		M1	(dep) for a method to isolate terms in x , eg 4x+2x+4x+3x=360-15-15-8+3 or $4x+2x=180-15-15$ or $4x+3x=180-8+3$			
		A1	for solving equation to $x = 25$			
		C1	for substituting $x = 25$ into $A + B$ or $C + D$ and showing = 180, and gives a suitable statement, eg co-interior/allied angles (sum to 180), or since $A + B = 180$ the lines are parallel	If starting with an equation = 180 need to substitute into the opposite pair.		
7	Shown	M1	Alternative solution assuming it is a trapezium for deriving a suitable equation, eg $4x+15+2x+15=4x+8+3x-3 (6x+30=7x+5)$			
		M1	(dep) for a method to isolate terms in x , eg $15+15-8+3=4x+3x-4x-2x$			
		A1	for solving equation to $x = 25$			
		C1	for a fully correct statement, eg since $A + B = 180$ the lines are parallel			

Paper: 1MA	Paper: 1MA1/2H					
Question	Answer	Mark	Mark scheme	Additional guidance		
8	35	P1	for one correct use of the given scale, eg $40 \div 5$ (= 8) or 28×5^2 (= 700)	Can award these marks in either order		
		P1	for process to use area of triangle, eg $28 = \frac{1}{2} \times PQ \times [QR]$ or [area] = $\frac{1}{2} \times PQ \times 40$	[QR] must be clearly identified as the drawing length, and cannot be 40		
			$\mathbf{or} \left[\text{area} \right] = \frac{1}{2} \times PQ \times 40$	[area] must be clearly identified as the real area, and cannot be 28		
		A1	cao			
9 (a)	7.25	B1	oe			
(b)	No with supporting reason	C1	No with supporting reason Acceptable reasons: No, the 9 should be recurring No, 7.3491 is greater No, there are numbers between 7.349 and 7.350 Not acceptable reasons: Yes with any reason given Leila is correct 7.350 would round down She has rounded to 3sf and should only round to 2sf 7.349 rounds to 7.4			

Paper: 1MA1	Paper: 1MA1/2H					
Question	Answer	Mark	Mark scheme	Additional guidance		
10	1.25	B1	for $(\sin a) = \frac{7-2x}{8}$ or $(\tan b) = \frac{1+x}{4}$			
		P1	for start of a process to solve $\frac{7-2x}{8} = \frac{1+x}{4}$, eg $4(7-2x) = 8(1+x)$ or $28-8x = 8+8x$	Must come from a correct equation		
			or $7-2x = 2(1+x)$ or $7-2x = 2+2x$ or $\frac{7-2x}{8} = \frac{2(1+x)}{8}$ or $\frac{7-2x}{8} = \frac{2x+2}{8}$			
		A1	for 1.25 oe			

Paper: 1MA1	Paper: 1MA1/2H					
Question	Answer	Mark	Mark scheme	Additional guidance		
11 (a)	7, 28, 43, 54, 60	B1	cao			
(b)	cf graph	M1	for 4 or 5 of their points plotted correctly from a cf table	Ignore any histograms		
		A1	for a fully correct graph	Ignore anything drawn to the left of the first point		
			SCB1 if 4 or 5 of their points plotted not at the end but consistent within each interval and joined; providing no gradient is negative	Accept a smooth curve or line segments		
(c)	3.4 to 4	M1	for at least one correct quartile, eg (UQ =) value in the range 6.2 to 6.4 or (LQ =) value in the range 2.6 to 2.8 or ft their cf graph	CF graph must have no negative gradient to award ft		
		A1	for answer in the range 3.4 to 4 or ft their cf graph			
(d)	7 to 10	M1	for cf reading at weight = 7.4 in the range 50 to 53 or ft their cf graph	CF graph must have no negative gradient to award ft		
		A1	for answer in the range 7 to 10 or ft their cf graph			

Paper: 1MA1	/2H			
Question	Answer	Mark	Mark scheme	Additional guidance
12 (a)	$f = \frac{224}{d^2}$	M1	for $3.5 = \frac{k}{8^2}$ oe $(k = 224)$	Accept use of ∞ for the M mark
			for $f = \frac{224}{d^2}$ oe	
(b)	4.73	M1	for $10 = \frac{"224"}{d^2}$ or $d^2 = "224" \div 10$ or ft their value for k provided $f = \frac{k}{d^2}$ is used	
			or ft their value for k provided $f = \frac{k}{d^2}$ is used	
		A1	for answer in range 4.73 to 4.733	
13	Correct region R	M1	for at least two correct boundaries, eg $y = -3$ or $x = 2$ or $y = 2x + 1$ or $3x + 2y = 6$	
		M1	for the remaining two correct boundaries or a third correct boundary with shading correct with the inequalities for at least two correct boundaries	
		C1	for a correct region (R) clearly identified	

Paper: 1MA1	Paper: 1MA1/2H						
Question	Answer	Mark	Mark scheme	Additional guidance			
14 (a)	-2.5	M1 M1	for drawing a tangent at $t = 5$ (dep on M1) for a complete method to find the gradient eg tangent at $t = 5$ and "10" ÷ "4" or an answer in the range 2.0 to 2.8	No tangent drawn score 0 marks Working may be seen on the diagram			
		A1	for answer in the range –2.0 to –2.8 dependent on tangent drawn	Accept answers in the form $\frac{a}{b}$ where a and b are integers			
(b)	79	M1	for a method to find an estimate for the area of at least 1 trapezium under the curve, eg $\frac{1}{2} \times 2 \times (25+16)$ (= 41) oe or $\frac{1}{2} \times 2 \times (16+9)$ (= 25) oe or $\frac{1}{2} \times 2 \times (9+4)$ (= 13) oe or for a method to find an estimate for the area of at least 1 rectangle with heights at intersection of midpoint and curve, eg 2×20.5 (= 41) oe or 2×12.5 (= 25) oe or 2×6 (= 12) oe	May be seen as a rectangle added to a triangle Allow consistent use of incorrect width for both M marks			
		M1	for a complete method, eg $\frac{1}{2} \times 2 \times (25+16) + \frac{1}{2} \times 2 \times (16+9) + \frac{1}{2} \times 2 \times (9+4)$ oe or $\frac{1}{2} \times 2 \times (25+4+2(16+9))$ or $(2 \times 20.5) + (2 \times 12.5) + (2 \times 6)$	Allow 1 error in y values used			
		A1	For 79 or 78	Allow 78 only if it comes from rectangle/midpoint method			

Paper: 1MA1	Paper: 1MA1/2H					
Question	Answer	Mark	Mark scheme	Additional guidance		
15	$\frac{\sqrt{a}-1}{a-1}$	M1	for a correct method to rationalise the denominator, eg, $\frac{1}{\sqrt{a}+1} \times \frac{\sqrt{a}-1}{\sqrt{a}-1}$ or $\frac{1}{\sqrt{a}+1} \times \frac{1-\sqrt{a}}{1-\sqrt{a}}$ for $\frac{\sqrt{a}-1}{a-1}$ or $\frac{1-\sqrt{a}}{1-a}$	Condone use of a prime number in place of <i>a</i> for the M1 Do not ISW		
			for $\frac{\sqrt{a-1}}{a-1}$ or $\frac{1}{1-a}$			
16	$-5 < x < \frac{3}{4}$	M1	for critical values -5 and $\frac{3}{4}$ oe			
		A1	oe	Could be written as two separate expressions,		
				eg $x > -5$ and $x < \frac{3}{4}$ oe		


Paper: 1MA1/2H					
Question	Answer	Mark	Mark scheme	Additional guidance	
17	12:15:5	P1	for process to find ratio of heights of L and M eg $\sqrt[3]{64}$: $\sqrt[3]{\frac{125}{64}}$ (= 1:1.25) oe or $\sqrt[3]{\frac{64}{64}}$: $\sqrt[3]{\frac{125}{64}}$ (= 1:1.25) oe or $\sqrt[3]{\frac{64}{125}}$: $\sqrt[3]{\frac{125}{125}}$ (= 0.8:1) oe	Condone not written as a ratio as long as clear $\frac{125}{64} = 1.953 \frac{64}{125} = 0.512$	
		P1	for process to find ratio of heights of M and P eg $\sqrt{144}$: $\sqrt{16}$ (= 12 : 4 = 3 : 1) oe or $\sqrt{\frac{144}{16}}$: $\sqrt{\frac{16}{16}}$ (= 3 : 1) oe or $\sqrt{\frac{144}{144}}$: $\sqrt{\frac{16}{144}}$ (= 1 : 0.3) oe	Condone not written as a ratio as long as clear $\frac{144}{16} = 9 \frac{16}{144} = 0.1$	
		P1	(dep on P2) for process to find ratio of heights of all 3, eg " $(4:5)$ " × 3 and " $(3:1)$ " × 5 or $(1:1.25) \times 12$ and $(3:1) \times 5$ or $(0.8:1)$ and $(1:0.3)$		
		A1	for 12:15:5 oe	Can ISW incorrect simplification of a correct ratio	

Paper: 1MA1	/2H			
Question	Answer	Mark	Mark scheme	Additional guidance
18	$\frac{5}{28}$	P1	for a correct probability for 2 nd or 3 rd counter,	
	28		$eg \frac{3}{7} or \frac{4}{7} or \frac{1}{7} or \frac{1}{6} or \frac{2}{6} or \frac{3}{6}$	
			7 7 7 6 6 6	
			for a correct product for 2 red and 1 green	
		P1		
			eg, $(P(RRG) =) \frac{4 \times 3}{8 \times 7} \times \frac{1}{6} \left(= \frac{12}{336} \text{ or } \frac{1}{28} \right)$	
			or (P(RGR) =) $\frac{4}{8} \times \frac{1}{7} \times \frac{3}{6} \left(= \frac{12}{336} \text{ or } \frac{1}{28} \right)$	
			or (P(GRR) =) $\frac{1}{8} \times \frac{4}{7} \times \frac{3}{6} \left(= \frac{12}{336} \text{ or } \frac{1}{28} \right)$	
		P1	for a correct product for 3 red,	
			eg (P(RRR) =) $\frac{4}{8} \times \frac{3}{7} \times \frac{2}{6} = \frac{24}{336} \text{ or } \frac{2}{28}$	
		P1	for a complete process,	
		A1	for $\frac{60}{336}$ oe eg $\frac{5}{28}$	Accept equivalent fractions, decimals (0.17 or 0.18) or
			SCB2 if P0 scored for answer of $\frac{112}{512}$ oe (replacement)	percentages (17% or 18%)
			l .	

Paper: 1MA1	/2H			
Question	Answer	Mark	Mark scheme	Additional guidance
19 (a)	$\frac{1}{18} \left(8k\mathbf{b} + 10\mathbf{b} - \mathbf{a} \right)$	P1	for a correct expression for \overrightarrow{CB} or \overrightarrow{BC} eg, $\overrightarrow{CB} = -k\mathbf{b} - \mathbf{a} + \mathbf{b}$ or $\overrightarrow{BC} = -\mathbf{b} + \mathbf{a} + k\mathbf{b}$	All vectors must be clearly identified
		P1	for a correct expression for \overrightarrow{CN} or \overrightarrow{BN} or \overrightarrow{NC} or \overrightarrow{NB} eg, $\overrightarrow{CN} = \frac{5}{9} (-k\mathbf{b} - \mathbf{a} + \mathbf{b}) \text{ or } \overrightarrow{BN} = \frac{4}{9} (-\mathbf{b} + \mathbf{a} + k\mathbf{b})$ or $\overrightarrow{NC} = \frac{5}{9} (-\mathbf{b} + \mathbf{a} + k\mathbf{b})$ or $\overrightarrow{NB} = \frac{4}{9} (-k\mathbf{b} - \mathbf{a} + \mathbf{b})$	This mark implies the previous one
		P1	for a correct unsimplified expression for \overrightarrow{MN} eg $\frac{1}{2}\mathbf{a} + k\mathbf{b} + \frac{5}{9}(-k\mathbf{b} - \mathbf{a} + \mathbf{b}) \text{ oe or } -\frac{1}{2}\mathbf{a} + \mathbf{b} + \frac{4}{9}(-\mathbf{b} + \mathbf{a} + k\mathbf{b}) \text{ oe}$	
		A1	for $\frac{1}{18} (8k\mathbf{b} + 10\mathbf{b} - \mathbf{a})$ oe eg $\frac{5}{9}\mathbf{b} + \frac{4}{9}k\mathbf{b} - \frac{1}{18}\mathbf{a}$	Must have a maximum of 3 vector terms, a , b , and <i>k</i> b
(b)	No, with explanation	C1	No with supporting reason ft (a) Acceptable reasons: No, since $\frac{1}{18}(8k\mathbf{b} + 10\mathbf{b} - \mathbf{a})$ is not a multiple of \mathbf{b} No, as N is not the midpoint of BC No, they are not multiples of each other No, does not factorise to \mathbf{b} Not a multiple of OB OB doesn't have an \mathbf{a} Not acceptable reasons: Yes	
			No, they don't share the same multiples <i>OB</i> doesn't go into <i>MN</i>	

Paper: 1MA1	1/2H			
Question	Answer	Mark	Mark scheme	Additional guidance
20	3, – 11	P1	for start of a process to complete the square, eg $2(x^2-6x)$ or $2(x^2-6x)$ or $(x-3)^2$ or an x coordinate of 3	can be any constant term, but not a term in <i>x</i>
		P1	for completing the square $(y =) 2(x - 3)^2 - 11$ or substitutes their value of x into the equation to find y	
		A1	cao	
21	Graph	C2 (C1	for a fully correct transformation for a correct translation of $g(x)$ of 2 units in the positive y-direction or a correct reflection of $g(x)$ in the y-axis or for at least 2 of the points $(-1, 1), (1, -2), (3, 1)$ transformed to the correct final position, eg $(1, 3), (-1, 0), (-3, 3)$	

Paper: 1MA1	/2H			
Question	Answer	Mark	Mark scheme	Additional guidance
22	Proof	C1	for angle OAP = angle OBP = 90 angle between <u>radius</u> and <u>tangent</u> is 90°	May be seen as 2 separate diagrams
		C1	for $OA = OB$ both <u>radii</u>	All reasons given must be clearly linked to the appropriate statement
		C1	OP is common	Underlined words need to be shown
		C1	(dep on C3) for a complete proof with all reasons given, eg triangles OAP and OBP are congruent RHS so $AP = BP$ or $AP = \sqrt{OP^2 - OA^2}$ and $BP = \sqrt{OP^2 - OB^2}$ and $OA = OB$ so $AP = BP$	
22 ALT	Proof	C1	for $\cos AOP = \frac{AO}{OP} = \frac{r}{OP}$ or $\cos BOP = \frac{BO}{OP} = \frac{r}{OP}$ angle between <u>radius</u> and <u>tangent</u> is 90°	May be seen as 2 separate diagrams
		C1	for $\cos AOP = \frac{AO}{OP} = \frac{r}{OP}$ and $\cos BOP = \frac{BO}{OP} = \frac{r}{OP}$ and $AOP = BOP$ both <u>radii</u> OP is common	Underlined words need to be
		C1	(dep on C3) for a complete proof with all reasons given, eg triangles OAP and OBP are congruent SAS so $AP = BP$	shown



Modifications to the mark scheme for Modified Large Print (MLP) papers: 1MA1 2H

Only mark scheme amendments are shown where the enlargement or modification of the paper requires a change in the mark scheme. Notes apply to both MLP papers and Braille papers unless otherwise stated.

The following tolerances should be accepted on marking MLP papers, unless otherwise stated below:

Angles: ±5°

Measurements of length: ±5 mm

PAPE	R: 1M	IA1_2H	
Ques	stion	Modification	Mark scheme notes
1		Diagram enlarged. Wording added 'Look at the diagram for Question 1 in the separate Diagram Booklet. The diagram is NOT accurately drawn. The diagram shows a right-angled triangle labelled ABC. In the diagram: AB = 10 cm AC = 19 cm'	Standard mark scheme
2	(b)	Word 'When' added Letters changed: A changed to T and B changed to U	Standard mark scheme
5	(a)	Word 'below' added to the sentence 'Complete the table below of values for' For Braille: answer lines added Ans: (i) (ii) (iii)	Standard mark scheme
	(b)	Diagram enlarged. Wording added 'Look at the diagram for Question 5 (b) in the separate Diagram Booklet. The diagram shows a grid.' For Braille sentence added 'A spare tactile diagram and bumpons are provided for this question.'	Standard mark scheme
7		Diagram enlarged. Labelling of trapezium changed from ABCD to DABC. Top left now A – top right now B – bottom right now C and bottom left now D. Letter changed: x changed to y Wording added 'Look at the diagram for Question 7 in the separate Diagram Booklet. The diagram is NOT accurately drawn. The diagram shows a quadrilateral labelled ABCD. In the diagram: All angles are measured in degrees. Angle ABC = $4y + 8$ Angle BCD = $3y - 3$ Angle CDA = $2y + 15$ Angle DAB = $4y + 15$ '	Standard mark scheme but note the changes in the vertices and the change from x to y

PAPER	PAPER: 1MA1_2H				
Questi	n Modification	Mark scheme notes			
8	Diagram enlarged. Labelling of the triangle changed – Now P at the top, Q same at bottom right, R now at bottom left. Wording added 'Look at the diagram for Question 8 in the separate Diagram Booklet. The diagram is NOT accurately drawn. The diagram shows a playground in the shape of a right-angled triangle labelled PQR.' Wording changed 'The real length of PQ is 40 m. (changed from QR) Work out the real length of RQ.' (changed from PQ)	Standard mark scheme but note the changes in the vertices			
10	Diagram enlarged. Letter changed: x changed to y Wording added 'Look at the diagram for Question 10 in the separate Diagram Booklet. The diagram is NOT accurately drawn. The diagram shows two right-angled triangles labelled PQR and STU. In the diagram: All lengths are measured in centimetres. In triangle PQR: PR = 8 cm RQ = (7 - 2y) cm Angle RPQ is marked a In triangle STU: SU = (1 + y) cm UT = 4 cm Angle STU is marked b'	Standard mark scheme but note the change of letter from x to y			

PAPE	PAPER: 1MA1_2H				
Ques	tion	Modification	Mark scheme notes		
11		Wording changed 'Look at the frequency table for Question 11 in the separate Diagram Booklet. It gives information about the weights of 60 parcels.' Word 'below' added 'The frequency table below gives' Frequency values in the table changed from 7, 21, 15, 11, 6 to 5, 25, 15, 10, 5.	B1 for 5, 30, 45, 55, 60		
	(b)	Wording changed 'Look at the grid for Question 11 (b) in the separate Diagram Booklet. On the grid, draw a cumulative frequency graph for your table.' For Braille: sentence added 'A spare tactile diagram, bumpons and Wikki Stix are provided for this question.'	Standard mark scheme but points plotted at heights 5, 30, 45, 55, 60		
	(c)		M1 for at least one correct quartile, eg (UQ =) 6 or (LQ =) value in the range 2.5 to 3 or ft their cf graph A1 for answer in the range 3.4 to 3.8		
	(d)	Value changed: 7.4 kg changed to 7 kg	M1 for cf reading at weight = 7 in the range 47 to 53 or ft their cf graph A1 for answer in the range 7 to 13		
13		Diagram enlarged. Wording added 'Look at the diagram for Question 13 in the separate Diagram Booklet. The diagram shows a coordinate grid.' For Braille: sentence added 'A spare tactile diagram, Wikki Stix, drawing film and sticky label R are available for this question.'	Standard mark scheme		
14	(a)	Diagram enlarged. Wording added 'Look at the diagram for Question 14 (a) in the separate Diagram Booklet. The diagram is a graph.' For Braille: sentence added 'A spare tactile diagram, Wikki Stix are available for this question.'	Standard mark scheme		
	(b)	For Braille: sentence added 'A spare tactile diagram, Wikki Stix are available for this question.'	Standard mark scheme		

PAPER: 1N	PAPER: 1MA1_2H				
Question	Modification	Mark scheme notes			
15	Letter changed: a changed to p	Standard mark scheme but note the change of letter from a to p			
16	Letter changed: x changed to y	Standard mark scheme but note the change of letter from x to y			
17	Wording changed to 'Look at the diagrams for Question 17 in the separate Diagram Booklet. The diagrams are NOT accurately drawn. The diagrams show three similar solid cylinders made from the same material. The cylinders are labelled cylinder L, cylinder M and cylinder P. You may also be given three models.' For Braille: wording changed to 'Ask for the models for Question 17. The models are NOT accurately made. The models represent three similar solid cylinders made from the same material. The models are labelled Cylinder L, Cylinder M and Cylinder P. Cylinder L has a mass of 64 g. Cylinder M has a mass of 125 g. Cylinder M has a total surface area of 144 cm ² Cylinder P has a total surface area of 16 cm ² '	Standard mark scheme			
19	Diagram enlarged. Wording added 'Look at the diagram for Question 19 in the separate Diagram Booklet. The diagram is NOT accurate. The diagram shows a quadrilateral labelled OACB. In the diagram:'	Standard mark scheme			
21	Diagram enlarged. Sentence added 'Look at the diagram for Question 21 in the separate Diagram Booklet.' For Braille: sentence added 'A spare tactile diagram, Wikki Stix and drawing film are available for this question.'	Standard mark scheme			
22	Diagram enlarged. Sentence added 'Look at the diagram for Question 22 in the separate Diagram Booklet. The diagram is NOT accurately drawn. In the diagram:'	Standard mark scheme			