

1. The cost of various items sold at a shop are shown below.

Item	Cost
Notebook	£2.49
File	£3.59
Pen	95p
Calculator	£10.50
Pencil	55p
Stapler	£2.15

(a) Find the total cost of buying a calculator, a file and a pencil. [1]

$$3.59 + 10.5 + 0.55 = 14.64$$

(b) Nisreen bought five notebooks.
She paid for them with a £20 note.

How much change should she get? [2]

$$20 - (5 \times 2.49) = 7.55$$

(c) George bought two different items.
He paid for them with a £5 note and received £1.90 change.

Which two items did he buy?

You must show all your working. $5 - 1.9 = 3.10$

Items are

Pen

and

Stapler



2. (a) Find the size of each of the angles marked a , b and c .

[4]





Diagram not drawn to scale

$$a = 43^\circ \quad b = 62^\circ \quad c = 76^\circ$$

(b) The interior angles of a triangle are 65° , 65° and 50° .
Circle the correct mathematical name of this triangle.

[1]

Equilateral

Right-angled

Isosceles


Obtuse-angled

Scalene



(c) Measure the size of the reflex angle ABC shown below.

[1] Examiner only




Reflex angle ABC = 300 ° ms + 2

C300U20-1
05

3. (a) Part of a number line is shown below.

Which number is the arrow pointing at?

[1]



8.25

(b) Circle the **two** lengths below that are equal.

[1]

1740 mm 1740 cm 174 cm 174 m 17.4 km



4. (a) Write the following statement using the correct mathematical symbol.

[1]

0.24 is less than 0.3

$$0.24 < 0.3$$

(b) Give calculations to show that the following statement is correct.

[3]

18% of 160 is the same as $\frac{2}{3}$ of 43.2

$$\frac{18}{100} \times 160$$

$$= 28.8$$

$$43.2 \times \frac{2}{3}$$

$$= 28.8$$



5. Roman has the nine cards shown below.

9	13	14	15	17	24	27	32	36
---	----	----	----	----	----	----	----	----

You must only use the numbers on these cards.

You must show all your working.

(a) (i) Calculate the sum of the two prime numbers. [2]

$$13 + 17 = 30$$

(ii) Calculate the product of the two square numbers. [2]

$$9 \times 36 = 324$$

(iii) Find the number which is both a factor of 72 and a multiple of 8. [2]

$$\underline{24}$$

(b) Roman picks one of his nine cards at random.
He says,

"I have a $\frac{2}{9}$ chance of picking a card with a cube number on it."

Is Roman's statement correct?

Yes No

Show how you decide. [1]

27 is the only cube number so $\frac{1}{9}$



6. Oscar is making a model of his house.




Diagram not drawn to scale

He decides to use a scale of 1 cm represents $\frac{1}{4}$ metre to make his model.

(a) Oscar's model is 30 cm tall.

How tall is his actual house?

$$30 \times \frac{1}{4} = \underline{\underline{7.5m}}$$

[2]

(b) The front window of Oscar's house is 2 metres wide.

How wide should the front window be on Oscar's model house?
Give your answer in cm.


[2]

$$2 \div \frac{1}{4} = \underline{\underline{8cm}}$$




7. The following sequence of patterns is made using lines and circles.

Pattern 1




Lines: 6
Circles: 5

Pattern 2



Lines: 11
Circles: 8

Pattern 3



Lines: 16
Circles: 11

(a) How many lines and circles will there be in pattern 5? [2]

$$\begin{array}{r} 6, 11, 16, \underline{21}, \underline{26} \\ 5, 8, 11, \underline{14}, \underline{17} \end{array}$$

Lines 26 Circles 17

(b) Is it possible for a pattern in this sequence to have 36 lines and 24 circles?

Yes No

Show how you decide.

31, 36 36 lines will have
20, 23 23 circles [1]



8. (a) A Headteacher wants to put new carpet in one of his classrooms. He uses carpet that costs £12.48 per m^2 .

The diagram below shows the dimensions of the classroom.



Diagram not drawn to scale

How much will it cost to buy the exact amount of carpet needed to cover the classroom floor? [3]

$$8.5 \times 5.5 \times 12.48$$

$$= \underline{\underline{583.44}}$$

(b) The Headteacher needs to buy vinyl flooring for a different classroom with an area of 67.2 m^2 . It is sold in rolls that each cover an area of 10.5 m^2 .

What is the minimum number of rolls of vinyl flooring he needs to buy? [3]

$$67.2 \div 10.5 = 6.4$$

so 7 rolls



9. Below is a recipe to make a batch of 12 flapjacks.

Makes 12 flapjacks

240g of porridge oats
125g of butter
100g of brown sugar
2 tablespoons of golden syrup

(a) Complete the table to show how much of each ingredient would be needed to make 72 flapjacks.

[2]

(X6)

Makes 72 flapjacks

1440 g of porridge oats
750 g of butter
600 g of brown sugar
12 tablespoons of golden syrup

→ 1750g

(b) Anatoly has 1.75kg of butter and plenty of the other ingredients.

What is the greatest number of batches of 12 flapjacks Anatoly can make?

[3]

$$\frac{1750}{125} = 14$$

Anatoly can make 14 batches of 12 flapjacks.



(c) This note is written underneath the original recipe.

To make 15 flapjacks, use 25% more of each ingredient.

Show that this statement is correct.

[1]

$$25\% \text{ of } 12 = 3 \quad 12 + 3 \text{ extra} = 15$$



10. (a) Simplify $5f + 6g + 3f - 9g$.

[2]

$$\underline{8f - 3g}$$

(b) Expand $5(m - 3)$.

[1]

$$\underline{5m - 15}$$

(c) Find the value of $6x + 3y$ when $x = 5.2$ and $y = 0.4$.

[2]

$$(6 \times 5.2) + (3 \times 0.4) = \underline{32.4}$$

(d) Solve $\frac{e}{2} - 4 = 6$.

[2]

$$\frac{e}{2} = 10$$

$$e = 20$$



(e) The rectangle below has length y and width x .




Diagram not drawn to scale

Three rectangles congruent to the one above are arranged, without overlapping, to create the large rectangle below.




Diagram not drawn to scale

Find an expression for the perimeter of this large rectangle in terms of x . Simplify your answer.

[3]

$$\underline{4x + 3y} = \underline{10x}$$



11. Faheema has a sack that contains a number of identical balls of different colours.



The table below shows the probability of randomly choosing a ball that is red, green, yellow or blue.

Colour	Red	Green	Yellow	Blue
Probability	0.32	0.46	0.1	0.12

(a) Faheema claims:

"There are other balls that are not red, green, yellow or blue in the sack."

Explain why she is incorrect.

[1]

The probabilities add up to 1

(b) A ball is chosen at random from the sack.

Calculate the probability that this ball is either green or yellow.

[1]

$$0.46 + 0.1 = \underline{\underline{0.56}}$$



(c) Faheema uses the sack of balls for a game at her school fair.

In the game, each person pays 50p to choose a ball at random from the sack.
The ball is then returned to the sack. ✓

The player wins a prize worth £2.95 if a blue ball is chosen.

150 people each played the game once.

How much profit would you expect Faheema to make?
You must show all your working.

[4]

$$150 \times 50p = 7500p = £75$$

$$\text{Blue} = 0.12 \times 150 = 18 \text{ winners}$$

$$18 \times 2.95 = £53.10 \text{ winnings}$$

$$75 - 53.10 = \underline{\underline{£21.90}}$$



12. (a) A car leaves Chester at 9:27 a.m.
It arrives at Taunton at 1:13 p.m.

How long does the journey take?
Give your answer in hours and minutes.

[2]

33m + 3hr + 13m

3 46
hours minutes

(b) Bus A and Bus B both leave the station at 8:00 a.m.

Bus A returns to the station every 30 minutes.
Bus B returns to the station every 24 minutes.

At what time will both buses next return to the station at the same time?


[3]

24, 48, 72, 96, 120 }
30, 60, 90, 120 } 2hrs

10am



13.



Zahra buys 2.3 kg of parsnips and 3.5 kg of potatoes.
 These cost a total of £6.23.
 1 kg of potatoes costs £1.32.

What is the cost of 1 kg of parsnips?

[4]

$$\textcircled{P} \quad 3.5 \times 1.32 = \text{£}4.62$$

$$6.23 - 4.62 = \text{£}1.61$$

$$1.61 \div 2.3 = 0.7$$

1 kg of parsnips costs £0.70



14. (a) Calculate the value of $\frac{2.6 \times 5.7}{3.4 - 1.8}$

Give your answer correct to 1 decimal place.

[2]

9.2625 = 9.3

(b) Write 68 321 correct to 2 significant figures.

[1]

68000

(c) Write 6 300 000 in standard form.

[1]


6.3×10^6



15. The universal set (\mathcal{E}) contains the numbers 31, 32, 33, 34, 35, 36, 37, 38, 39 and 40.

A is the set of odd numbers.
B is the set of multiples of 3.

(a) Show this information on the Venn diagram below. [2]




(b) A number is selected at random from the universal set (\mathcal{E}).

Find the probability that the number selected is an odd number but not a multiple of 3. [2]

$$\frac{3}{10}$$




16. (a) Draw an enlargement of the shape below using a scale factor of 2 and (0,0) as the centre of enlargement. [3]



(b) Three vertices of a parallelogram have been plotted on the grid below.

Plot the fourth vertex of the parallelogram. [1]



17. Amy and Vance each buy a thin pizza.

Amy's pizza has a radius of 3 inches.
Vance's pizza has a radius of 5 inches.

Amy eats one half of her pizza.
Vance eats one quarter of his pizza.




Diagram not drawn to scale

Who eats the slice of pizza with the greater area?

Amy

Vance

You must show all your working.

[5]

$$\textcircled{A} \quad \pi \times 3^2 \div 2 = 14.14 \text{ inches}^2$$

$$\textcircled{V} \quad \pi \times 5^2 \div 4 = 19.63 \text{ inches}^2$$



18. The table shows the mass of 90 carrots grown by a gardener.

x	Mass, m (grams)	(f) Number of carrots
45	$30 < m \leq 60$	x 9
75	$60 < m \leq 90$	x 33
105	$90 < m \leq 120$	x 38
135	$120 < m \leq 150$	x 8
165	$150 < m \leq 180$	x 2

fx
405
2475
3990
1080
330

Calculate an estimate for the mean mass of these carrots. [4]

Total $fx = 8280$

$8280 \div 90 = \underline{\underline{92}} \text{ g}$



19. Jan, Freda and Pieter share some money.

Freda gets 3 times as much as Jan.
Pieter gets half as much as Freda.

$$\begin{array}{ccc} J & F & P \\ x & 3x & 1.5x \end{array}$$

(a) Write down the ratio of the amounts of money that they each get.
Give your answer in its simplest form.

($x2$)

$$2x \quad 6x \quad 3x$$

$$\begin{array}{ccc} 2 & 6 & 3 \\ \text{Jan} : \text{Freda} : \text{Pieter} = & : & : \end{array}$$

(b) What fraction of the money does Pieter get?

$$\frac{3}{11}$$



20.



Edudig Digger
£35 950

Samir buys this digger and expects to use it for 1250 hours each year. The digger will decrease in value at a yearly rate of 18% of its value at the end of the previous year.

Use this information to calculate the decrease in value of Samir's digger when it has been used for 10000 hours. ▲

[5]

$$10000 \div 1250 = 8 \text{ years}$$

$$35950 \times 0.82^8 = \underline{\underline{\text{£7348.69}}} \text{ value}$$

$$\begin{aligned} \text{decrease} &= 35950 - 7348.69 \\ &= \underline{\underline{\text{£28601.31}}} \end{aligned}$$



21. A circular wheel makes 42 complete turns each minute.

(a) How many degrees does it turn through in one second? [3]

$$\frac{42 \times 360}{60} = 252^\circ$$

(b) (i) State **one** assumption you have made in your answer to part (a). [1]

Spins at a constant speed

(ii) How would your answer to part (a) change if this assumption was not correct? [1]

Spinning slower would result in (a)
being lower



22. (a) Solve $2x + 5 = 11 + 5x$.

[2]

$$5 = 11 + 3x$$

$$-6 = 3x$$

$$\underline{x = -2}$$

(b) Solve $8x - (3x + 1) = 2$.

Give your answer as a fraction.

[3]

$$8x - 3x - 1 = 2$$

$$5x = 3$$

$$\underline{\underline{x = \frac{3}{5}}}$$



(c) Tansy is trying to solve $1 < x + 2 \leq 5$ where x is a whole number.
Here is her work.

	$1 - 2 < x$ and $x \leq 5 - 2$
	$-1 < x$ and $x \leq 3$
	$-1 < x \leq 3$
	x is $-1, 0, 1, 2$ or 3 .

Ali says,
"You have made an error."

Is Ali correct?

Yes

No


Show clearly how you decide.

[1]

-1 should be rejected as an
answer

(d) Represent the inequality $x > -2$ on the number line below.


[1]



23. In an experiment, a scientist records the temperature, y °C, of an object as it is heated for x seconds.

The scientist thinks that the equation $y = mx + c$ is a good fit for this data.

The diagram shows his results on a scatter graph and his line of best fit.



(a) Estimate the number of seconds for which the object has been heated when its temperature is 27 °C.

[1]

17.5

$[ms = 17 \rightarrow 17.4]$



(b) When $x = 70$ seconds, the scientist measures the value of y to be 52°C .

Use this information to decide whether the line of best fit is likely or unlikely to give reliable predictions for values of y when x is greater than 50 seconds.

Likely Unlikely

Explain how you decide.

The temp. is already around 50°C
at $x = 50$ so is likely to be
higher.

[1]

(c) The line of best fit passes through the points $(0, 15)$ and $(10, 22)$.

Find the equation of the line of best fit.
Give your answer in the form $y = mx + c$.

$$\downarrow \\ c = 15$$

[3]

$$y = mx + 15$$

$$m = \frac{22-15}{10-0}, \frac{7}{10}$$

$$y = \frac{7}{10}x + 15$$

(d) Explain what the gradient of the line of best fit represents in this context.

[1]

The increase in temp. per second.



24.




Diagram not drawn to scale

ABC is a right-angled triangle.

AB = 4.8 cm and $\hat{BAC} = 57^\circ$.

Calculate the area of triangle ABC.

$$= \frac{1}{2} \times BC \times 4.8$$

[5]

T A
⑥

$$x = 4.8 \times \tan 57$$

$$= 7.39$$

$$\text{Area} = \frac{1}{2} \times 7.39 \times 4.8$$

$$= 17.7392$$

Area = 17.7
cm²

END OF PAPER

